

नॉर्थ ईस्टर्न इलेक्ट्रिक पॉवर कॉर्पीरेशन लिमिटेड

North Eastern Electric Power Corporation Limited /भारत सरकार का उद्यम]](a govt. of india enterprize)

135 मे.वा. अगरतला गैस टरबाइन कंबाइंड साइकिल पॉवर प्लांट 135 MW Agartala Gas Turbine Combined Cycle Power Plant अनुबंध एव खरीद: प्रचालन स्कथ/Contract & Procurement / Operation Wing (**प**)/ Ramchandra Nagar, Tripura (W) - 799008 रामचन्द्र नगर, त्रिपरा



NOTICE INVITING TENDER (E-TENDER)

e-NIT No. 09/NEEPCO/AGTCCPP/C&P/2017-18 Dated 04.06.2018

Online bids (Single-Stage Two-Envelope) with 120 (One Hundred Twenty) days validity are invited from eligible bidders for the work of "Construction of security road from TSR camp of plant area of AGTCCPP to DM plant (near Gail Post), of NEEPCO, AGTCCPP, Ramchandra Nagar, Agartala, Tripura (W) ". Detailed Tender Document containing Terms and Conditions for Bidding including Qualifying Requirement can be down loaded from NEEPCO's online portal https://neepco.abcprocure.com.

Estimated Value: ₹ 25,33,960/= (Rupees Twenty Five LakhThirty Three Thousand Nine hundred and Sixty) Only

BIDDING PROGRAMME

Participations & Submission of Tenders:

- Portal Registration for e-tendering: The bidders intending to participate in the e-tendering and to download detailed bid document have to register them in the NEEPCO's e-tendering portal https://neepco.abcprocure.com. The registration once registered shall be valid for one year from the date of activation of profile.
 - The bidders who have already registered in NEEPCO's e-tendering portal having valid registration need not to register again. However, such bidders are to ensure that their registration is valid till the completion of the entire bidding process of the relevant NIT.
- Portal Registration Fee: The fees for Bidder Registration in the portal is ₹ 3000.00 (Rupees Three Thousand) only per year (Non Refundable).
- The procedure/ steps to be followed for payment of registration fees by SB-COLLECT of State Bank of India:
 - Step 1: The bidder shall visit url/ web page https://www.onlinesbi.com/prelogin/institutiontypedisplay.htm on any internet browser.
 - Step 2 : State Bank Collect page will appear.
 - Select " ALL India " for " State of Corporate/ Institution " irrespective of location of the sites/ projects/ plants/ establishments where tenders are invited.
 - Select " PSU " for " Type of Corporate/ Institution ". Click " GO ".
 - Step 3: In the new screen, select PSU Name as "North Eastern Electric Power Corporation Limited" and
 - Step 4 : In the new screen, select Payment Category as "SHILLONG-PARTIES".
 - Step 5: New screen will appear. Here, the bidder has to fill all the required information for the payment as under:
 - (i) Under Name of Payer: The bidder is to fill up his Name and Address.
 - (ii) Under Short Details of Payment: The bidder shall indicate Registration Fees.
 - (iii) Under Type of Payer: The bidder is to select VENDOR or CONSULTANT whichever is
 - (iv) Under CIN in case the Payer is a company: The bidder is to fill up his CIN in case of a company, otherwise may kept blank.
 - (v) Under Payment Amount: The bidder is to fill up the amount, i.e. Rs.3000.00
 - (vi) Subsequent information for Name, Date of Birth/ Incorporation, Mobile Numbers are to be filled as required.
 - (vii) Fill Captcha.
 - (viii) Then submit.
 - Step 6: In the new screen, check the details and click " CONFIRM ", if correct.

- **Step 7**: The **Multi Option Payment System** will be available for making the payment. The bidder may select option as per convenient and make the payment.
- **Step 8**: After successful payment, the system will generate receipt.

The receipt may also be generated from Reports - i.e. SB Collect (Request Report/ Download Report). This system generated receipt shall be downloaded and send it to the Contract & Procurement Department, NEEPCO, Shillong at e-mail ID: contract_neepco@yahoo.com to advice the service provider for approval of the bidders registration.

Bidders may also contact Sri N. Kithan, Manager(C), C&P Department, NEEPCO, Shilling Mobile No:+91-9436306773, to get confirmation regarding receipt of bidder registration fee.

Step 9 : The vendor has to map the digital certificate (Class-II or Class-III Signing & Encryption Certificate) with his login-id as per the name of the registered company for approval process. For registration and Digital Certificate, the bidders may contact the Service Provider at:

Mr. Himalaya Vaishnav

e-Procurement Technologies Ltd, Ahmedabad

Phone No: +91-7940016866/38/21/18

Mobile No. :+91-9099090830 E-mail : info@abcprocure.com

However, bidders are free to obtain Digital Signature Certificate from any other certification Agencies appointed by the Controller of Certification Agencies (CCA) under the provision of IT Act 2000.

Step 10: On approval of the bidder in the system, e-mail will be sent by the Service provider to the Company/Bidder regarding their vendor profile activation.

The registration is valid for one year once vendor profile is activated.

- d) For any clarification related to terms and conditions of Bid Documents, bidders are requested to forward e-mail clearly stating their queries at e-mail id: agtpp.onm@gmail.com.
- e) For any clarification related to procedure for bid submission, online furnishing of clarification in e-procurement portal etc., bidders are requested to forward e-mail stating their queries at e-mail id : contract_neepco@yahoo.com, contract@neepco.co.in

Bidders may also contract e-procurement Technologies Ltd. (Service Provider) having the following contact details:

e-Procurement Technologies Ltd.

A-201-208, Wall Street-II/Opp.Orient Club

Nr. Gujarat College/Ellisbridge,

Ahmedabad-380015

Gujarat, India

Tel: +91-79-40016802-77

<u>Cell:+91-9374519754 / 9377988119</u> E-mail ID; <u>Support@abcprocure.com</u>.

- f) All the bidders are requested to get themselves registered well in advance and no extra time will be considered for submission of bids for the delay in online vendor registration, if any.
- g) <u>Submission and opening of Bids</u>: Bidders shall prepare and submit their bids online in e-tendering portal https://neepco.abcprocure.com. Online bidding forms will be available in the above website. Submission of online bids is mandatory for consideration of the bids by NEEPCO.

Bidders may view the tender opening results of techno-commercial and price bids in $\frac{\text{https://neepco.abcprocure.com}}{\text{by marking their presence for online tender opening.}}$

- h) Reverse Auction: NEEPCO reserves the right to go for Reverse Auction process to finalize the tender or may finalize the tender without Reverse Auction, if required. However, the decision to conduct Reverse Auction or not will be conveyed to the short-listed bidders after opening of the bid.
- i) Important Dates & Bid Validity:
 - (1) Date of commencement of downloading of bid documents from the portal https://neepco.abcprocure.com : w.e.f 21:00 Hrs of 04/06/2018.
 - (2) End date & time for downloading of bid document: 10:00 Hrs of 25/06/2018.
 - (3) Last date & time for receipt of bids online: 13:00 Hrs of 25/06/2018.
 - (4) Date & time for opening of bids online: 15:00 Hrs of 25/06/2018.
 - (5) Bid validity: 120 (One Hundred Twenty) days from the date of opening of bids.

In case 25/06/2018, is a holiday, the bid shall be opened on the next working day at the appointed times. Quotations received through any Off-Line Mode shall not be considered.

- j) Bidders are requested to visit e-tendering portal http://www.neepco.co.in and CPP portal http://www.eprocure.gov.in regularly for any modification/ clarification of bid document.
- **k)** Bidders are requested to adhere to the following:
 - (1) Obtain individual Organization Digital Signature Certificate (DSC or DC) well in advance of tender submission deadline on Electronic Tendering System (ETS).
 - (2) Register your organization on ETS well in advance to comply with the stipulated tender timeline.
 - (3) Get your organization's concerned executives trained on ETS well in advance to comply with the stipulated tender timeline.
 - (4) There could be last minute problems due to internet timeout, breakdown etc. Accordingly, the bidders are requested to submit the bid through online e-tendering system well before the bid submission end date and time as per Server System Clock. The Corporation shall not be responsible for any sort of delay or the difficulties faced during the submission of bids online by the bidders at the eleventh hour.
- 1) All the bidders are requested to get themselves registered well in advance and no extra time will be considered for submission of bids for the delay in online vendor registration, if any.
- m) <u>Submission and opening of Bids</u>: Bidders shall prepare and submit their bids online in e-tendering portal https://neepco.abcprocure.com. Online bidding forms will be available in the above website. Submission of online bids is mandatory for consideration of the bids by NEEPCO.
 Bidders may view the tender opening results of techno-commercial and price bids in https://neepco.abcprocure.com by marking their presence for online tender opening. Price bid of only those bidders who qualify in the Techno-commercial evaluation shall be opened.
- n) Bidders are requested to visit e-tendering portal http://www.neepco.co.in and CPP portal http://www.neepco.co.in and CPP portal http://www.eprocure.gov.in regularly for any modification/ clarification of bid document.
- o) Bidders are requested to adhere to the following:
 - (5) Obtain individual Organization Digital Signature Certificate (DSC or DC) well in advance of tender submission deadline on Electronic Tendering System (ETS).
 - (6) Register your organization on ETS well in advance to comply with the stipulated tender timeline.
 - (7) Get your organization's concerned executives trained on ETS well in advance to comply with the stipulated tender timeline.
 - (8) There could be last minute problems due to internet timeout, breakdown etc. Accordingly, the bidders are requested to submit the bid through online e-tendering system well before the bid submission end date and time as per Server System Clock. The Corporation shall not be responsible for any sort of delay or the difficulties faced during the submission of bids online by the bidders at the eleventh hour.

<u>Earnest Money</u>: An amount of ₹ 50000/= (Rupees Fifty Thousand) only to be submitted along with the offer in the form of Demand Draft Drawn in favour of 'North Eastern Electric Power Corporation Ltd.' and payable at ' Agartala' from any Nationalized / Scheduled Bank, failing which their bid shall not be considered. The EMD should reach the office of the undersigned on or before the date of opening of the tender.

If a bidder withdraws the tender while it is under consideration or, after placement of order, the bid security /EMD shall be forfeited along with other action as the Corporation deems fit. The EMD of all unsuccessful bidders shall be returned only after placement of order with the successful bidder.

<u>Tender fees/ Bid Document Fee</u>: A non-refundable Tender Fee of ₹ 1000/= (Rupees One Thousand) only shall be submitted in addition to the EMD by the prospective bidders in the form of Demand Draft Drawn in favour of 'North Eastern Electric Power Corporation Ltd. 'and payable at 'Agartala' from any Nationalized / Scheduled Bank, failing which their bid shall not be considered. The Tender Fee should reach the office of the undersigned on or before the date of opening of the tender.

Address: Sr. Manager(E/M), C&P,

AGTCCPP, NEEPCO Ltd.,

R.C. Nagar, Agartala - 799008, Tripura(W).

Evaluation of Tender: The tender shall be opened on the scheduled time and date as mentioned above at Sl. No. i).(4). Tenderers' authorized representative shall be permitted to attend the tender opening only on submission of authorization letter. Purchaser will examine the Tender document to determine whether they fulfilled the qualifying requirement, whether they are complete and meet the requirements of this Tender specification. Tender submitted without fulfilling the qualification criteria shall be rejected.

INSTRUCTION TO BIDDER

The intending bidders who fulfill the eligibility / qualifying criteria as given below should participate in the on-line Bidding process. Fulfillment of criteria as mentioned is essential, as non-compliance will lead to rejection of the Bid, without any further communication.

Qualifying Criteria: The bidders must fulfill the following qualifying criteria:

- 1. The Tenders of the bidders must accompany tender fee and EMD. Without Tender Fee and EMD of requisite amount, the tenders will be rejected.
- 2. Average annual financial turnover during the last three years ending 31st. March 2018 must be Rs 7,60,000.00 (Rupees Seven Lakh SixtyThousand).
- 3. The bidder must have the experience of having successfully completed similar nature or allied works during last 7 (Seven) years in any Govt. of India organization/State Govt. organization /PSU/ reputed private organization. Documentary evidence to that effect shall be submitted.
- Three similar completed works, each of value not less than ₹ 1,013,584.00/-OR
- Two similar completed works, each of value not less than ₹ 12,66,980.00/-.
 OR
- c) One similar completed work of value not less than ₹ 2,027,168.00/-.

(Similar Works means Building/Road Works etc.)

4. Copy of Bidders PAN Card, Service Tax registration, EPF registration & Labour Licence should be submitted along with their bids.

TECHNICAL SPECIFICATION:

- (i) The detailed technical specification of the items included under the scope of the work are as per the BoQ enclosed as Annexure-A. The same may also be viewed in the Price Bid Form of the tender in the online portal of https://neepco.abcprocure.com.
- (ii) Unless specifically otherwise mentioned, all the applicable codes and standards published by the MoRD & MoRT&H and all other standards which may be published by them before the date of receipt of tenders, shall govern in all respects of workmanship, quality and properties of materials and methods of testing etc. Wherever any reference to any MoRD & MoRT&H Technical Specification occurs in the documents relating to this contract, the same shall be inclusive of all amendments issued thereto or revision thereof, if any, up to the date of receipt of tenders. In case there is no MoRD & MoRT&H Technical Specification for the particular work, such work shall be carried out in accordance with the instructions in all respects, and requirements of the Engineer-in-Charge.
- (iii) The work also includes all minor details which may not have been referred to in these documents but are essential for the successful completion of the work in all respect in accordance with standard Engineering practice.

GENERAL TERMS & CONDITIONS:

(All prospective Bidders are requested to go through these instructions carefully)

The rate quoted against this NIT should be submitted online. The general Terms and Conditions are:

- Name of the work: "Construction of security road from TSR camp of plant area of AGTCCPP to DM plant (near Gail Post), of NEEPCO, AGTCCPP, Ramchandra Nagar, Agartala, Tripura (W)".
- 2. <u>Time of completion</u>: The work shall have to be completed within 60 (Sixty) days from the date of issue of the work order
- 3. Taxes: Rates quoted by the bidders shall be inclusive of GST.
- 4. <u>Liquidity Damage</u>: In case of delay in execution of the work, $\frac{1}{2}$ % (Half percent) of the value of the work shall be recovered from the bill per week of delay subject to maximum of 10% (Ten percent) of the value of the work.
- 5. <u>Force Majeure Condition</u>: The above clause of liquidated damage shall not be applicable in case of force majeure condition such as Flood, war, civil unrest, natural calamities or acts of God on which the bidder does not have any control.
- 6. Contractor shall submit the EPF Registration Number, if already had, otherwise EPF deduction in respect of both employees and employer's contribution will be made from their bill(s) as per existing relevant norms. However, this will not relieve the Contractor from his responsibility.
- 7. Copy of Income Tax PAN and Professional Tax Certificate clearance of current validity are to be submitted along with the bid.

- 8. Laws, Regulations and Acts pertaining to engagement of Labours, environment protection, Safety etc. shall be applicable.
- 9. Payment Terms: After completion of work in all respect, bills will be prepared by the Engineer designated by the Engineer-in-charge who will also be responsible for supervision of the work. For R/A bill, the contractor will have to submit an application to the Engineer-in-charge requesting release of the R/A bill and the decision of the Engineer-in-charge in this regard shall be final and binding on all concerned.
- 10. The rates of all the items of work after issuance of the work order shall remain firm till the completion of the work in all respect.
- 11. Security Deposit: 10% (Ten percent) security deposit will be deducted from the bill(s) for due performance of the work and the same shall be released on expiry of Defect Liability period of 6(six) months from the date of completion. In case, any defect is noticed during the Defect Liability Period, the contractor will have to rectify/correct the same at his cost and risk; else NEEPCO will get the work done at the cost and risk of the Contractor.
- 12. The Contractor shall have to supply all materials and labours etc. required for the work for successful completion of the same in all respect.
- 13. In case, the work is not been carried out the work as per specifications or not to the satisfaction of NEEPCO or the Contractor causes any damage to the work or property of NEEPCO or other damages not mentioned herein, NEEPCO shall have the right to recover any amount as considered suitable from the bill/ Security deposit/ any other amount due to the Contractor in NEEPCO.
- 14. <u>Special Condition</u>: The intending bidders are requested to visit the worksite to assess the requirement of the work before submission of their tenders.
- 15. Bidders shall submit their bids online in electronic form in https://neepco.abcprocure.com. Online bidding forms are available in above website. Manual offline Bids shall not be accepted. However, the document submitted by the bidder must be signed and sealed at each page by the bidder with signature before scanning and uploading.

The bidders are requested to note that participation in the bid shall be taken as acceptance of the terms & conditions as stated above. Bidders are requested to visit the website (https://neepco.abcprocure.com) for any future change/modification/ corrigendum/addendum to this tender. The Corporation reserves the right to change/modify the requirements or to postpone/accept or reject the tender in full or part of this Notice or cancel without assigning any reason thereof and is not bound to accept the lowest offer.

For & on behalf of North Eastern Electric Power Corporation Ltd.

Sr. Manager(E/M), C&P AGTCCPP, NEEPCO Ltd. Annexure-A

Name of Work: "Construction of security road from TSR camp of plant area of AGTCCPP to DM plant (near Gail Post), of NEEPCO, AGTCCPP, Ramchandra Nagar, Agartala, Tripura (W)".

| · · · · · · · · · · · · · · · · · · · | | ripura (W)". | 1 |
|---|--|--|---|
| Description | Unit | Quantity | Remarks |
| aring and grubbing road land including uprooting wild getation ,grass ,bushes ,shrub, sapling and trees of th up to 300 mm removal of stumps of such trees cut relier and disposal of unserviceable material and stacking unserviceable material to be used or auctioned up to a d of 1000 m including removal and disposal of top ganic soil not exceeding 150 mm in thickness as per DRD technical specification clause 2011)By manual ans a) In area of non thorny jungle | Sq.Meter | 2177.5 | |
| cavation for roadway in soil by mechanical means with zer including cutting and pushing the earth to site of bankment up to a distance of 100 m(average lead of 50 including trimming bottom and side slopes in cordance with requirements of lines, grades and cross ctions as per MoRTH Technical specification clauses of ction 300. | Sq.Meter | 354.04 | |
| mpacting original ground i) Compacting original ground operting sub grade. Loosening of the ground up to a least of 500 mm below the sub grade level, watered, and compacted in layers to meet requirement lole 300.2 for sub grade construction as per MoRT&H chnical specification clauses of section 300. | Sq.Meter | 172.50 | |
| at Brick soling. Providing and laying brick soling layer on expared sub grade according to lines, grades and crossition shown on the drawing, filling joints with earth, see from clay with a Plasticity Index not exceeding vatering and rolling the same with three wheeled road ler 80-100 KN as per MoRD Technical Specification use 412.In cross drain. | Sq.Meter | 1314.05 | |
| ck soling)Providing on edge soling. Providing and laying ck on edge soling layer on prepared sub grade cording to lines, grades and cross section shown on the awing, filling joints with sand, watering and rolling the ne with three wheeled road roller 80-100 KN as per RD Technical specification Clause 412. | Sq.Meter | 471.50 | |
| BM: Grading2Providing, laying, spreading and compacting one aggregates of specific sizes to water bound cadam specification including spreading in uniform ckness, hand packing, rolling with smooth wheel roller-100 KN in stages to proper grade and camber, applying a brooming, stone screening to fill up the interstices of arse aggregate, watering and compacting to the quired density Grading 1as per MoRD technical ecification clause 405. B) By manual means. | Sq.Meter | 178.56 | |
| me coat: Medium Porosity: Providing and applying mer coat with bitumen emulsion (SS-1) on prepared face of granular base including cleaning of road face and spraying primer at the rate of 0.9-1.2 kg/sqm ng mechanical means as per MoRD technical ecification clause 502. | Sq.Meter | 1524.25 | |
| mm thick open graded premix carpet using bituminous inetration grade/modified bitumen) binder. I widing ,laying and rolling of open graded premix carpet mm thickness composed of 13.2 mm to 5.6 mm gregate either using penetration grade bitumen or | Sq.Meter | 1524.25 | |
| ng ng mn ne vic mn gre uls | mechanical means as per MoRD technical means as per MoRD technical means as per MoRD technical fication clause 502. In thick open graded premix carpet using bituminous tration grade/modified bitumen) binder. Iting ,laying and rolling of open graded premix carpet in thickness composed of 13.2 mm to 5.6 mm gate either using penetration grade bitumen or composed unital problems. | Sq.Meter mechanical means as per MoRD technical fication clause 502. In thick open graded premix carpet using bituminous tration grade/modified bitumen) binder. Iting, laying and rolling of open graded premix carpet in thickness composed of 13.2 mm to 5.6 mm gate either using penetration grade bitumen or the composed of 13.2 mm to 5.6 mm gate either using penetration grade bitumen or the composed of 13.2 mm to 5.6 mm gate either using penetration grade bitumen or the composed of 13.2 mm to 5.6 mm gate either using penetration grade bitumen or the composed of 13.2 mm to 5.6 mm gate either using penetration grade bitumen or the composed of 13.2 mm to 5.6 mm gate either using penetration grade bitumen or the composed of 13.2 mm to 5.6 mm gate either using penetration grade bitumen or the composed of 13.2 mm to 5.6 mm gate either using penetration grade bitumen or the composed of 13.2 mm to 5.6 mm gate either using penetration grade bitumen or the composed of 13.2 mm to 5.6 mm gate either using penetration grade bitumen or the composed of 13.2 mm to 5.6 mm gate either using penetration grade bitumen or the composed of 13.2 mm to 5.6 mm gate either using penetration grade bitumen or the composed of 13.2 mm to 5.6 mm gate either using penetration grade bitumen or the composed of 13.2 mm to 5.6 mm gate either using penetration grade bitumen or the composed of 13.2 mm to 5.6 mm gate either using penetration grade bitumen or the composed of 13.2 mm to 5.6 mm gate either using penetration grade bitumen or the composed of 13.2 mm to 5.6 mm gate either using penetration grade bitumen or the composed of 13.2 mm to 5.6 mm gate either using penetration grade bitumen or the composed of 13.2 mm to 5.6 mm gate either using penetration grade bitumen or the composed of 13.2 mm to 5.6 mm gate either using penetration grade bitumen or the composed of 13.2 mm to 5.6 mm gate either using penetration grade bitumen or 13.2 mm to 5.6 mm gate either using penetration grade bitumen or 13.2 mm to 5.6 mm gate either using penetration grade | mechanical means as per MoRD technical ication clause 502. In thick open graded premix carpet using bituminous tration grade/modified bitumen) binder. Ising ,laying and rolling of open graded premix carpet In thickness composed of 13.2 mm to 5.6 mm In thickness composed of 13.2 mm to 5.6 mm In thickness composed of 13.2 mm to 5.6 mm In thickness composed of 13.2 mm to 5.6 mm In thickness composed of 13.2 mm to 5.6 mm In thickness composed of 13.2 mm to 5.6 mm In thickness composed of 13.2 mm to 5.6 mm In thickness composed of 13.2 mm to 5.6 mm In thickness composed of 13.2 mm to 5.6 mm In thickness composed of 13.2 mm to 5.6 mm In thickness composed of 13.2 mm to 5.6 mm In thickness composed of 13.2 mm to 5.6 mm In thickness composed of 13.2 mm to 5.6 mm In thickness composed of 13.2 mm to 5.6 mm In thickness composed of 13.2 mm to 5.6 mm In thickness composed of 13.2 mm to 5.6 mm |

| | | | | Page 7 of 8 |
|-----|--|----------------|---------|-------------|
| | wearing course on a previously prepared base , including mixing in suitable plant , laying and rolling with a smooth wheeled roller 80-100 KN static roller capacity , finished to required level and grades to be followed by seal coat of either Type A or Type B or Type C OR type D as MORD Technical specification per MORT& H Technical Specification Clause 508. Case (ii) by manual means, (i) Bitumen (60/70 grade) VG-30 | | | |
| 9. | Tack Coat. Applying tack coat with bitumen emulsion (RS-1) using emulsion pressure distributor at the rate of 0.25 kg to 0.3 Kg per sq.m on the prepared bituminous surface cleaned with mechanical broom as per MORT&H Technical Specification. Clause 503. | Sq.Meter | 1524.25 | |
| 10. | Seal coat: Providing and laying Seal coat sealing the voids in a bituminous surface laid to the specified levels, grade and cross fall using type A or Type B or Type C or Type D as per MoRD technical Specification clause 510. B) By manual means, case-(ii): Type-B-(i) Bitumen (60/70 grade) VG-30. | Sq.Meter | 1524.25 | |
| 11. | Providing and laying Reinforced Cement Concrete Pipe NP3 as per design in single row. Providing and laying Reinforced Cement Concrete Pipe NP3 with collar for culverts on first class bedding of granular material in single row including fixing collar with cement mortar 1:2 but excluding excavation ,protection works ,backfilling, concrete & Masonry works in head walls and parapet as per MoRT&H Technical specification clause 11060.(D)600 mm dia. | Meter | 37.50 | |
| 12. | Hire charge of Three wheeled roller | Hour | 24.00 | |
| 13. | Providing ,laying in position cement concrete of specified grade excluding the cost of centering and shuttering .All work up to plinth level 1:3:6 (1 cement : 3 fine sand : 6 graded stone aggregate 20 mm nominal size) | Cubic Meter | 0.97 | |

Sr.Manager(E/M), C&P AGTCCPP, NEEPCO Ltd

DRAWING DETAILS

