

ISO: 9001-2015 ISO: 14001-2015 ISO: 45001-2018

नॉर्थ ईस्टर्न इलेक्ट्रिक पावर कॉर्पोरेशन लिमिटेड NORTH EASTERN ELECTRIC POWER CORPORATION LIMITED



भारत सरकार का उद्यम A Govt. of India Enterprise

मिनीरत्न: श्रेणी-I Miniratna : Category-I

एनटीपीसी लिमिटेड की पूर्ण स्वामित्व वाली सहायक कंपनी A wholly owned subsidiary of NTPC Ltd.

<u>सं./No.NEEPCO/AgGBPS/HoPS/T-25(D)/2025-2026/62/</u> दिनांक/Date:25/10/2025

The Principal Chief Conservator of Forests(C), Govt. of India, Ministry of Environment & Forests, North Eastern Regional Office, Low-U-Sib, Lumbatngen, Near MTC Workshop, Shillong – 793021.

विषय / Sub: Six Monthly Report on status of Environment Clearance (ending Sep, 2025) of AgGBPS, NEEPCO Ltd.

महोदय/Sir,

This has reference to the Office Memorandum No.J-13011/1/92-1A Dtd.23/01/2023 of the MoE&F, Govt. of India conveying the Environment Clearance and Adherence to the various referred conditions, the Status Report of Compliance on conditions by the Power Station are as under:-

S1. No.	Stipulations as brought out under Memorandum No.J-13011/1/92-1A Dtd.23/01/1992	Status of compliance		
2(i)	Only Natural Gas is used in the main feed stock	Only Natural Gas is used in the main fee stock.		
(ii)	Zero discharge concepts with respect to liquid effluents may be followed and as such no liquid effluent will be allowed to be discharged in the water bodies. Treated liquid effluent should be used/recycled in the plant/irrigation of the green belt/agricultural fields etc.	After commissioning of STGs in 2015-16 liquid effluent is generated and discharged in environment after proper treatment for recycling / reusing.		
(iii)	Adequate steps should be taken for prevention and control of fire and explosion hazards likely to be caused due to storage and used of inflammable materials like Natural Gas.	Fire protection system for machine already exists. Fire tenders from Tripura State Fire Service stationed at AgGBPS Plant area round the clock to combat fire.		
(iv)	Affected families due to acquisition of land should be properly compensated in consultation with the State Govt.			
(v)	The NOX emissions should not exceed the specified standards of 50 ppm. As the site is located within 25 km. of the sanctuary.	NOX emission is within permissible limits as per CTO		
(vi)	The gaseous emissions from various units should conform to the standards prescribed by the concerned authorities from time to time. As no time the emission level should go beyond the stipulated standards. In the event of failure of any pollution control system adopted by the unit, the respective unit should be shutdown and should not be restarted until the control measures are rectified to achieve the desired standard efficiency.	These parameters are within stipulated norms.		

परियोजना कार्यालय : अगरतला गैस आधारित पावर स्टेशन
Project Office : AGARTALA GAS BASED POWER STATION
पावर स्टेशन प्रमुख का कार्यालय/
OFFICE OF THE HEAD OF POWER STATION
रामचन्द्रनगर, त्रिपुरा (प), RAMCHANDRA NAGAR, TRIPURA (W)-7990008
e-mail: hopofficeagtp@neepco.co.in / hopofficeagtp@gmail.com

पंजीकृत कार्यालय: ब्रुकलैंड कंपाउंड, लोअर न्यू कॉलोनी, शिलांग-793003 Registered Office: Brookland Compound, Lower New Colony, Shilling-793003

सीआईएन/CIN-u40101ML1976GO1001658, website:www.neepco.co.in



नॉर्थ ईस्टर्न इलेक्ट्रिक पावर कॉर्पोरेशन लिमिटेड

NORTH EASTERN ELECTRIC POWER CORPORATION LIMITED



ISO: 9001-2015 ISO: 14001-2015 ISO: 45001-2018 भारत सरकार का उद्यम A Govt. of India Enterprise

मिनीरत्न: श्रेणी-I Miniratna : Category-I

एनटीपीसी लिमिटेड की पूर्ण स्वामित्व वाली सहायक कंपनी A wholly owned subsidiary of NTPC Ltd.

S1. No.	Stipulations as brought out under Memorandum No.J-13011/1/92-1A Dtd.23/01/1992	Status of compliance
(vii)	Adequate No. of Monitoring stations should be provided in consultation with the State Pollution Control Board. Further, stack emissions should be monitored periodically. The data of stack emissions and ambient air quality should be sent to the State Pollution Control Board once in 3 months and to this Ministry once in 6 months	On line Stack Emission Data (SOx, NOx and PM) are continuously uploaded to the Central Pollution Control Board (CPCB) and State Pollution Control Board (SPCB) website through existing installed Continuous Emission Monitoring System (CEMS). Ambient Air Quality is monitored by the third party on monthly basis.
(viii)	A green belt of adequate width (not less than 100 meters) and density should be provided all around the Power Station.	A green belt with as average width of 100 meters around Power Station including Office and Colony Complex with plantation of 45,887(approx)Nos. plants are maintained.
(ix)	A separate Environment Management Cell with suitably qualified staff to carry out the various functions should be set up under the control of Senior Executives, who will report directly to the Head of the Organization.	An Environment Management Cell is working in the Plant.
3.	Adequate financial provision should be made for implementation of these stipulations and the details of such provisions communicated to the Ministry within three months Financial provisions so made will not be utilized for any other purpose.	Funds are available.

Enclosing herewith the test reports (as attached) which was carried out by the Nitya Laboratories Pvt. Ltd., in the month of <u>July & Aug,2025.</u>

Assuring our best commitments.

Thanking you,

संलग्नः यथोक्त।

Enclo: As above.

भवदीय/Yours faithfully,

(JEETENDRA LAL DAS)

मुख्य महाप्रबंधक (तक.) एवं पावर स्टेशन प्रमुख CGM(Tech.) & HoPS, AgGBPS, NEEPCO Ltd., R.C. Nagar, Tripura (W).

परियोजना कार्यालय : अगरतला गैस आधारित पावर स्टेशन Project Office : AGARTALA GAS BASED POWER STATION

पावर स्टेशन प्रमुख का कार्यालय/

OFFICE OF THE HEAD OF POWER STATION

रामचन्द्रनगर, त्रिपुरा (प), RAMCHANDRA NAGAR, TRIPURA (W)-7990008 e-mail : hopofficeagtp@neepco.co.in / hopofficeagtp@gmail.com पंजीकृत कार्यालय: ब्रुकलैंड कंपाउंड, लोअर न्यू कॉलोनी,

शिलांग- 793003

Registered Office: Brookland Compound, Lower New Colony,

Shilling-793003

सीआईएन/CIN-U40101ML1976GO1001658, website:www.neepco.co.in



ISO: 9001-2015 ISO: 14001-2015 ISO: 45001-2018

नॉर्थ ईस्टर्न इलेक्ट्रिक पावर कॉर्पोरेशन लिमिटेड NORTH EASTERN ELECTRIC POWER CORPORATION LIMITED

एनटीपीसी NTPC

भारत सरकार का उद्यम A Govt. of India Enterprise

मिनीरत्न: श्रेणी-I Miniratna : Category-I

एनटीपीसी लिमिटेड की पूर्ण स्वामित्व वाली सहायक कंपनी A wholly owned subsidiary of NTPC Ltd.

NIO

मेमो संखा/ Memo No. NEEPCO/AgGBPS/HOP/T-25(B)/2025-26/622-626 दिनांक: 25/10/2025

प्रतिलिपि :-

- 1) The Addl. Director(S), Ministry of Environment & Forests, Paryavaran Bhawan, CGO Complex, Lodhi Road, New Delhi -110003 for kind information please.
- 2) The Executive Director, O&M, NEEPCO Ltd., Guwahati for favour of your kind information please.
- 3) The CGM(Tech.), Env. Cell, NEEPCO Ltd., Brook Land Compound, Lower New Colony, Shillong for kind information please.
- 4) The Chairman, Tripura State Pollution Control Board, Gorkha Basti, Agartala for favour of your kind information please and enclosed copy of the Environmental Quality Monitoring test reports for your reference please.
- 5) The DGM(Tech.), Env., AgGBPS, NEEPCO Ltd. For information please.

मुख्य महाप्रबंधक (तक.) एवं पावर स्टेशन प्रमुख CGM(Tech.) & HoPS, AgGBPS, NEEPCO Ltd., R.C. Nagar, Tripura (W).

परियोजना कार्यालय : अगरतला गैस आधारित पावर स्टेशन Project Office : AGARTALA GAS BASED POWER STATION

पावर स्टेशन प्रमुख का कार्यालय/

OFFICE OF THE HEAD OF POWER STATION

रामचन्द्रनगर, त्रिपुरा (प), RAMCHANDRA NAGAR, TRIPURA (W)-7990008

e-mail: hopofficeagtp@neepco.co.in / hopofficeagtp@gmail.com

पंजीकृत कार्यालय: ब्रुकलैंड कंपाउंड, लोअर न्यू कॉलोनी,

शिलांग-793003

Registered Office: Brookland Compound, Lower New Colony,

Shilling-793003

सीआईएन/CIN-U40101ML1976GO1001658, website:www.neepco.co.in



NITYA LABORATORIES

NITYA LABORATORIES

9 43, Sector-A1 Ext., Bhalla Enclave, Channi Himmat, Jammu-180 015, J&K (UT), India

+91-191-2465597

BUILDING & ROAD, MATERIAL, SOIL, ENVIRONMENTAL & CALIBRATION TESTING LAB

Test Report

Issued To M/s North Eastern Electric Power Corporation Limited

ULR No .:

TC148142500004246F

(135 MW Agartala Gas Turbine Combined Cycle Power Plant)

Test Report Date:

19/07/2025

Ramchandra Nagar, Tripura (W)-799008

Sample Particulars

Nature of the Sample

Date of Sampling

Time of Sampling (Hrs)

Sample Received at Lab

Test Started On

Test Completed On

Purpose of Monitoring

Method of Sampling Sampling Location

Avg. Flow Rate of Air for RDS (m3/min)

Avg. Flow Rate of Air for FPS (m3/hr)

Monitoring Conducted By

Ambient Temperature (°C)

Sampling Duration (Hrs.)

Ambient Air Quality Monitoring

09/07/2025

12:30 PM

12/07/2025

12/07/2025

18/07/2025

To Check the Pollution Load

IS 5182 (Part 14)

Residential Complex (Colony)

1.10

0.98

Mr. Dharmendra Sahu

31

24 Hrs.

Analysis Report

Sr. No.	Parameters	Test Results	Standard Limit	Duration	Test Method
1.	Particulate Matter (PM _{2.5}), µg/m ³	25.46	60	24 hrs	40CFR Appendix L Part 53 CPCB Guidelines
2.	Particulate Matter (PM ₁₀), µg/m ³	51.24	100	24 hrs	IS:5182(P-23)
3.	Sulphur Dioxide (as SO ₂), µg/m ³	16.37	80	24 hrs	IS:5182(P-2)
4.	Nitrogen Dioxide (as NO _{2),} ug/m ³	20.12	100	24 hrs	IS:5182(P-6)
5.	Ozone (as O ₃), ug/m ³	22.12	100	8 hrs	IS:5182(P-9)
6.	Lead (as Pb), µg/ m³*	ND	1.	24 hrs	NL/SOP/AAQ-11
7.	Carbon Monoxide (as CO), mg/m ³	0.52	2	8 hrs	IS:5182 (P-10)
8.	Ammonia (as NH ₃), ug/m ³	26.50	400	24 hrs	Method of Air Sampling & Analysis CPCB Guidelines
9.	Nickel (as Ni), ng/m3*	ND	20	Annual	NL/SOP/AAQ-13
10.	Arsenic (as As), ng/m³*	ND	6	Annual	NL/SOP/AAQ-12
11.	Benzo(a)pyrene (as BAP), ng/m³*	ND .	1	Annual	IS:5182 (P-12)
12.	Benzene (C ₆ H ₆), ug/m ^{3*}	ND	5	Annual	IS:5182 (P-11)

ND-Not Detected

End of the Report.....

(AUTHORISED SIGNATORY)

NOTE: The laboratory accepts the responsibility for content of report. The results contained in this test report related only to the sample tested. Test report shall not be reproduce report is intended only for your guidance and not for legal purpose or for advertisement. This report shall not be reproduced except in full without the written approval of this organ of issue of test certificate unless otherwise specified. Any complaints about his report should be communicated in writing within 7 days of sause of this report. Total liability of N any complaint/feedback regarding the sample collection/testing/test report, please send an email at <a href="mailto:ling-test-add-test-add-test-add-test-add-test-add-test-add-test-add-test-add-test-add-test-add-test-add-test-add-test-add-test-add-test-add-test-add-test-add-test-add-test-add-test-add-test-add-test-add-test-add-test-add-test-add-test-add-test-add-test-add-test-add-test-add-test-add-test-add-test-add-test-add-test-add-test-add-test-add-test-add-test-add-test-add-test-add-test-add-test-add-test-add-test-add-test-add-test-add-test-add-test-add-test-add-test-add-test-add-test-add-test-add-test-add-test-add-test-add-test-add-test-add-test-add-test-add-test-add-test-add-test-add-test-add-test-add-test-add-test-add-test-add-test-add-test-add-test-add-test-add-test-add-test-add-test-add-test-add-test-add-test-add-test-add-test-add-test-add-test-add-test-add-test-add-test-add-test-add-test-add-test-add-test-add-test-add-test-add-test-add-test-add-test-add-test-add-test-add-test-add-test-add-test-add-test-add-test-add-test-add-test-add-test-add-test-add-test-add-test-add-test-add-test-add-test-add-test-add-test-add-test-add-test-add-test-add-test-add-test-add-test-add-test-add-test-add-test-add-test-add-test-add-test-add-test-add-test-add-test-add-test-add-test-add-test-add-test-add-test-add-test-add-test-add-test-add-test-add-test-add-test-add-test-add-test-add-test-add-test-add-test-add-test-add-test-add-test-add-test-add-test-add-test-add-test-add-test-add-test-ad

CORPORATE OFFICE & CENTRAL LABORATORIES :-

PLOT NO. 118, CHURCH ROAD, BEHIND KAUSIK VATIKA, BHAGAT SINGH COLONY, BALLABHGARH, FARIDABAD - 121004, HARYANA, INDI

四 +91-129-2241021

+91-9013591021, +91-9013552273

labsnitya@gmail.com

@ www.nityalab.com



NITYA LABORATORIES

Work for Quality

BUILDING & ROAD, MATERIAL, SOIL, ENVIRONMENTAL & CALIBRATION TESTING LAB

NITYA LABORATORIES

• 43, Sector-A1 Ext., Bhalla Enclave, Chann Himmat, Jammu-180 015, J&K (UT), India

9+91-191-2465597

📷 info@nityalab.com 🗞 www.nityalab.con

Test Report

Issued To M/s North Eastern Electric Power Corporation Limited

ULR No.:

TC148142500004724F

(135 MW Agartala Gas Turbine Combined Cycle Power Plant)

Test Report Date:

04/08/2025

Ramchandra Nagar, Tripura (W)-799008

Sample Particulars

Nature of the Sample

Date of Sampling

Time of Sampling (Hrs)

Sample Received at Lab

Test Started On

Test Completed On

Purpose of Monitoring

Method of Sampling

Sampling Location

Avg. Flow Rate of Air for RDS (m3/min)

Avg. Flow Rate of Air for FPS (m3/hr)

Monitoring Conducted By

Ambient Temperature (°C)

Sampling Duration (Hrs.)

Ambient Air Quality Monitoring

23/07/2025

11:30 AM

26/07/2025

26/07/2025

02/08/2025

To Check the Pollution Load

IS 5182 (Part 14)

Plant Site

1.12

1.00

Mr. Dharmendra Sahu

31

24 Hrs.

Analysis Report

Sr. No.	Parameters	Test Results	Standard Limit	Duration	Test Method
1.	Particulate Matter (PM _{2.5}), µg/m ³	31.43	60	24 hrs	40CFR Appendix L Part 53 CPCB Guidelines
2.	Particulate Matter (PM ₁₀), μg/m ³	62.16	100	24 hrs	IS:5182(P-23)
3	Sulphur Dioxide (as SO ₂), µg/m ³	17.68	80	24 hrs	IS:5182(P-2)
4	Nitrogen Dioxide (as NO _{2),} ug/m ³	25.46	100	24 hrs	IS:5182(P-6)
5	Ozone (as O ₃), ug/m ³	21.16	100	8 hrs	IS:5182(P-9)
6.	Lead (as Pb), µg/ m³*	ND	1	24 hrs	NL/SOP/AAQ-11
7.	Carbon Monoxide (as CO), mg/m ³	0.81	2	8 hrs	IS:5182 (P-10)
8.	Ammonia (as NH ₃), ug/m ³	30.12	400	24 hrs	Method of Air Sampling & Analysis CPCB Guidelines
9.	Nickel (as Ni), ng/m3*	ND	20	Annual	NL/SOP/AAQ-13
10.	Arsenic (as As), ng/m³*	ND	6	Annual	NL/SOP/AAQ-12
11.	Benzo(a)pyrene (as BAP), ng/m³*	ND	1	Annual	IS:5182 (P-12)
12.	Benzene (C ₆ H ₆), ug/m³⁺	ND	5	Annual	IS:5182 (P-11)

ND-Not Detected

End of the Report.....

NOTE: The laboratory accepts the responsibility for content of report. The results contained in this test report related only to the sample tested. Test report shall not be reproduced except in full, without written approval of this organization. Samples will be destroyed after 30 days from the dat of issue of test certificate unless otherwise specified. Any complaints about this report should be communicated in writing within 7 days of issue of this report. Total liability of Nitya Laboratories is amted invoiced amount only. If you have any complaints feedback regarding the sample collection/testing/test report, please send an email at info@nityalab.com and call at +91-191-2465597, +91-9873924093

CORPORATE OFFICE & CENTRAL LABORATORIES :-

PLOT NO. 118, CHURCH ROAD, BEHIND KAUSIK VATIKA, BHAGAT SINGH COLONY, BALLABHGARH, FARIDABAD - 121004, HARYANA, INDIA

3 +91-129-2241021

+91-9013591021, +91-9013552273

labsnitya@gmail.com

www.nityalab.com

(AUTHORISED SIGNATORY)



NITYA LABORATORIES

Work for Quality

BUILDING & ROAD, MATERIAL, SOIL, ENVIRONMENTAL & CALIBRATION TESTING LAB

NITYA LABORATORIES

• 43, Sector-A1 Ext., Bhalla Enclave, Channi Himmat, Jammu-180 015, J&K (UT), India

+91-191-2465597

info@nitvalab.com www.nityalab.com

Test Report

Issued To M/s North Eastern Electric Power Corporation Limited

ULR No .:

TC148142500004725F

(135 MW Agartala Gas Turbine Combined Cycle Power Plant) Test Report Date:

04/08/2025

Ramchandra Nagar, Tripura (W)-799008

Sample Particulars

Nature of the Sample

Date of Sampling

Time of Sampling (Hrs)

Sample Received at Lab

Test Started On

Test Completed On

Purpose of Monitoring

Method of Sampling

Sampling Location

Avg. Flow Rate of Air for RDS (m3/min)

Avg. Flow Rate of Air for FPS (m3/hr)

Monitoring Conducted By

Ambient Temperature (°C)

Sampling Duration (Hrs.)

Ambient Air Quality Monitoring

23/07/2025

02:30 PM

26/07/2025

26/07/2025

02/08/2025

To Check the Pollution Load

IS 5182 (Part 14)

Agartala

1.14

1.00

Mr. Dharmendra Sahu

24 Hrs.

Analysis Report

Sr. No.	Parameters	Test Results	Standard Limit	Duration	Test Method
1.	Particulate Matter (PM _{2.5}), μg/m ³	46.28	60	24 hrs	40CFR Appendix L Part 53 CPCB Guidelines
2.	Particulate Matter (PM ₁₀), µg/m ³	65.29	100	24 hrs	IS:5182(P-23)
3.	Sulphur Dioxide (as SO ₂), µg/m ³	24.32	80	24 hrs	IS:5182(P-2)
4.	Nitrogen Dioxide (as NO _{2),} ug/m ³	36.58	100	24 hrs	IS:5182(P-6)
5	Ozone (as O ₃), ug/m ³ *	34.32	100	8 hrs	IS:5182(P-9)
6.	Lead (as Pb), µg/ m³*	ND	1	24 hrs	NL/SOP/AAQ-11
7.	Carbon Monoxide (as CO), mg/m ³	1.03	2	8 hrs	IS:5182 (P-10)
8.	Ammonia (as NH ₃), ug/m ³	26.58	400	24 hrs	Method of Air Sampling & Analysis CPCB Guidelines
9.	Nickel (as Ni), ng/m ³ *	ND	20	Annual	NL/SOP/AAQ-13
10.	Arsenic (as As), ng/m³*	ND	6	Annual	NL/SOP/AAQ-12
11.	Benzo(a)pyrene (as BAP), ng/m³*	ND	1	Annual	IS:5182 (P-12)
12.	Benzene (C ₆ H ₆), ug/m ³	ND	5	Annual	IS:5182 (P-11)

ND-Not Detected

. End of the Report.....

omplaints about this report should be communicated in writing within 7 days of issue of this report. Total liability of Nitya La /testing/rest report, please send an email at into@nityalab.com and call at +91-191-2465597, +91-9873924093

CORPORATE OFFICE & CENTRAL LABORATORIES:-

PLOT NO. 118, CHURCH ROAD, BEHIND KAUSIK VATIKA, BHAGAT SINGH COLONY, BALLABHGARH, FARIDABAD - 121004, HARYANA, INDIA

閏 +91-129-2241021

1 +91-9013591021, +91-9013552273

Malabsnitya@gmail.com

www.nityalab.com