

Annexure-1

Tender for Procurement of MIVs for Kopili Stage-II and Kopili Power Stations of KHEP

Clause No.	Existing clause as per NIB	Modified Clause
Sec-2/ ITB / A. Introduction / 4. Qualifying requirement of bidders/ 4.1	4.1.1 Technical capability: Individual company/Firm shall have successfully executed i) Design, Engineering, Manufacture, Supply, Erection, Testing and Commissioning / Supervision of Erection, Testing and commissioning of Spherical valve (Main Inlet Valve) for at least 1(one) Hydro generating Station of per unit capacity of 50MW or more, which is in successful operation for a period of at least <u>3(three) consecutive years</u> within a period of 7(seven) years, ending last day of the month previous to the one in which NIB is floated	i) Design, Engineering, Manufacture, Supply, Erection, Testing and Commissioning / Supervision of Erection, Testing and commissioning of Spherical valve (Main Inlet Valve) for at least 1(one) Hydro generating Station of per unit capacity of 50MW or more, which is in successful operation for a period of at least <u>2(two) consecutive years</u> within a period of 7(seven) years, ending last day of the month previous to the one in which NIB is floated
Sec-2/ ITB / A. Introduction / 4. Qualifying requirement of bidders/ 4.1	4.1.1 ii) Design, Engineering, Manufacture, Supply, Erection, Testing and Commissioning / Supervision of Erection, Testing and Commissioning of Butterfly Valve (Main Inlet Valve) for at least 1(one) Hydro generating station of per unit capacity of 25MW or more which is in successful operation for a period of at least <u>3 (three) consecutive years</u> within a period of 7(seven) years, ending last day of the month previous to the one in which NIB is floated	4.1.1 ii) Design, Engineering, Manufacture, Supply, Erection, Testing and Commissioning / Supervision of Erection, Testing and Commissioning of Butterfly Valve (Main Inlet Valve) for at least 1(one) Hydro generating station of per unit capacity of 25MW or more which is in successful operation for a period of at least <u>2 (two) consecutive years</u> within a period of 7(seven) years, ending last day of the month previous to the one in which NIB is floated