




बिड संख्या/Bid Number: GEM/2025/B/6780

दिनांक /Dated: 11-10-2

बिड दस्तावेज़ / Bid Document

बिड वि	वर्ण/Bid Details
बिड बंद होने की तारीख/समय /Bid End Date/Time	01-11-2025 15:00:00
बिड खुलने की तारीख/समय /Bid Opening Date/Time	01-11-2025 15:30:00
बिड पेशकश वैधता (बंद होने की तारीख से)/Bid Offer Validity (From End Date)	60 (Days)
मंत्रालय/राज्य का नाम/Ministry/State Name	Ministry Of Power
विभाग का नाम/Department Name	North Eastern Electric Power Corporation Limited
संगठन का नाम/Organisation Name	North Eastern Electric Power Corporation Limited
कार्यालय का नाम/Office Name	Kameng Hydro Power Station
कुल मात्रा/Total Quantity	1
वस्तु श्रेणी /Item Category	Servicing of air dryer system
GeMARPTS में खोजी गई स्ट्रिंग्स / Searched Strings used in GeMARPTS	Servicing of air dryer system
GeMARPTS में खोजा गया परिणाम / Searched Result generated in GeMARPTS	Centrifugal/Screw Compressor with Dryer (NALCO), Reverse Osmosis based Water Treatment System above 50 LPH Capacity (V2), Hand Dryer (V3), Particle Size Analyser, Air Decontamination System (Fumigation Cum Air Purification System), personal safety kit reflective luminous garments, A Sampler, Portable Electric Indoor Air Purifier, Air Decontamination system for hospitals, ATM (Air Traffic Management) Automation System (AAI)
अधिसूचना के लिए चयनित प्रासंगिक श्रेणियाँ / Relevant Categories selected for notification	Centrifugal/Screw Compressor with Dryer (NALCO)
उन्हीं/समान सेवा के लिए अपेक्षित विगत अनुभव के वर्ष/Years of Past Experience Required for same/similar service	3 Year (s)
एमएसएमई के लिए अनुभव के वर्षों और टर्नओवर से छूट प्रदान की गई है/MSE Exemption for Years of Experience and Turnover	No
स्टार्टअप के लिए अनुभव के वर्षों और टर्नओवर से छूट प्रदान की गई है /Startup Exemption for Years of Experience and Turnover	No







बिड दस्तावेज़ / Bid Document

विष्ठ बंद होने की तारीख/समय /Bid Opening Date/Time 01-11-2025 15:30:00 विष्ठ खुलने की तारीख/समय /Bid Opening Date/Time 01-11-2025 15:30:00 विष्ठ पंशालक वेचता (बंद होने की तारीख से)/Bid Offer /alidity (From End Date) 60 (Days) 60 (Days							
18 बुलने की तारीख/समय /Bid Opening Date/Time 01-11-2025 15:30:00 60 (Days)	बिड विवरण/Bid Details						
60 (Days)	बिड बंद होने की तारीख/समय /Bid End Date/Time	01-11-2025 15:00:00					
Ministry Of Power श्रीमाग का नाम/Department Name श्रीमाग का नाम/Organisation Name श्रीमाग का नाम/Orffice Name श्रीमाग का नाम/Office Name श्	बिड खुलने की तारीख/समय /Bid Opening Date/Time	01-11-2025 15:30:00					
North Eastern Electric Power Corporation Limited श्रिक्त का नाम/Organisation Name North Eastern Electric Power Corporation Limited श्रिक्त का नाम/Office Name (Kameng Hydro Power Station 1 Servicing of air dryer system SemARPTS में खोजी गई स्ट्रिंग्स / Searched Strings Ised in GeMARPTS SemARPTS में खोजा गया परिणाम / Searched Result Isenerated in GeMARPTS Centrifugal/Screw Compressor with Dryer (NALCO), Reverse Osmosis based Water Treatment System above 50 LPH Capacity (V2), Hand Dryer (V3), Particle Size Analyser, Air Decontamination System (Fumigation Cum Air Purification System), personal safety kit reflective luminous garments, Ai Sampler, Portable Electric Indoor Air Purifier, Air Decontamination system for hospitals, ATM (Air Traffic Management) Automation System (AAI) 10 10 10 10 10 11 12 13 14 15 16 16 16 16 16 17 17 18 18 18 18 19 19 19 19 19 19	बिड पेशकश वैधता (बंद होने की तारीख से)/Bid Offer Validity (From End Date)	60 (Days)					
North Eastern Electric Power Corporation Limited सर्वातव का नाम/Office Name स्वातव का नाम/Office Name Servicing of air dryer system Centrifugal/Screw Compressor with Dryer (NALCO), Reverse Osmosis based Water Treatment System above 50 LPH Capacity (V2), Hand Dryer (V3), Particle Size Analyser, Air Decontamination System (Fumigation Cum Air Purification System), personal safety kit reflective luminous garments, Ai Sampler, Portable Electric Indoor Air Purifier, Air Decontamination system for hospitals, ATM (Air Traffic Management) Automation System (AAI) (पिस्चिना के लिए चयनित प्रासंगिक श्रेणियाँ / Relevant Categories selected for notification क्वि/समान सेवा के लिए अपेक्षित विगत अनुभव के वर्ष/Years of Past Experience Required for same/similar levice व्याद्वार्थ के लिए अनुभव के वर्षो और टर्नओवर से सूट प्रदान की गई है (Startup Exemption for Years of Experience प्राथम प्राथम के लिए अनुभव के वर्षो और टर्नओवर से सूट प्रदान की गई (Startup Exemption for Years of Experience) No	मंत्रालय/राज्य का नाम/Ministry/State Name	Ministry Of Power					
हिस्त अणी /Item Category हिस्त अणी /Item Cate	विभाग का नाम/Department Name	North Eastern Electric Power Corporation Limited					
हिल मात्र/Total Quantity हिल्ल मात्र/ शेणां / Item Category हिल्ल मात्र/ शेणां / Feer Searched Strings हिल्ल मात्र/Total Quantity हिल्ल मात्र/Total Quantity हिल्ल मात्र/Total Quantity हिल्ल मात्र/Total Quantity हिल्ल मात्र/ शेणां / Feer Searched Strings हिल्ल मात्र/ शेणां / Feer Searched Strings हिल्ल मात्र/ शेणां / Feer Searched Strings हिल्ल मात्र शेणां /	संगठन का नाम/Organisation Name	North Eastern Electric Power Corporation Limited					
Servicing of air dryer system SemARPTS में खोजी गई स्ट्रिंग्स / Searched Strings issed in GeMARPTS GeMARPTS में खोजी गई स्ट्रिंग्स / Searched Result issed in GeMARPTS GeMARPTS में खोजा गया परिणाम / Searched Result issenerated in GeMARPTS GeMARPTS GeMARPTS Centrifugal/Screw Compressor with Dryer (NALCO), Reverse Osmosis based Water Treatment System above 50 LPH Capacity (V2), Hand Dryer (V3), Particle Size Analyser, Air Decontamination System (Fumigation Cum Air Purification System), personal safety kit reflective luminous garments, Air Sampler, Portable Electric Indoor Air Purifier, Air Decontamination system for hospitals, ATM (Air Traffic Management) Automation System (AAI) All Quality and the compressor with Dryer (NALCO) Centrifugal/Screw Compressor with Dryer (NALCO) Centrifugal/Screw Compressor with Dryer (NALCO) A Year (s) 3 Year (s) No No No	कार्यालय का नाम/Office Name	Kameng Hydro Power Station					
SemARPTS में खोजी गई स्ट्रिंग्स / Searched Strings steed in GeMARPTS GEMARPTS में खोजी गई स्ट्रिंग्स / Searched Result openerated in GeMARPTS GEMARPTS में खोजा गया परिणाम / Searched Result openerated in GeMARPTS GEMARPTS में खोजा गया परिणाम / Searched Result openerated in GeMARPTS	कुल मात्रा/Total Quantity	1					
Servicing of all dryer system Centrifugal/Screw Compressor with Dryer (NALCO), Reverse Osmosis based Water Treatment System above 50 LPH Capacity (V2), Hand Dryer (V3), Particle Size Analyser, Air Decontamination System (Fumigation Cum Air Purification System), personal safety kit reflective luminous garments, Ai Sampler, Portable Electric Indoor Air Purifier, Air Decontamination System for hospitals, ATM (Air Traffic Management) Automation System (AAI) All the training of all dryer system above 50 LPH Capacity (V2), Hand Dryer (V3), Particle Size Analyser, Air Decontamination System (Fumigation Cum Air Purification System), personal safety kit reflective luminous garments, Ai Sampler, Portable Electric Indoor Air Purifier, Air Decontamination System for hospitals, ATM (Air Traffic Management) Automation System (AAI) A Centrifugal/Screw Compressor with Dryer (NALCO) A Year (S) 3 Year (S) No No No No	वस्तु श्रेणी /Item Category	Servicing of air dryer system					
Osmosis based Water Treatment System above 50 LPH Capacity (V2), Hand Dryer (V3), Particle Size Analyser, Air Decontamination System (Fumigation Cum Air Purification System), personal safety kit reflective luminous garments, Ai Sampler, Portable Electric Indoor Air Purifier, Air Decontamination System (AAI) विस्त्यना के लिए चयनित प्रासंगिक श्रेणियाँ / Relevant Categories selected for notification व्हीं/समान सेवा के लिए अपेक्षित विगत अनुभव के वर्ष/Years of Past Experience Required for same/similar service अग्रपसरमई के लिए अनुभव के वर्षों और टर्नओवर से छूट प्रदान की रई है/MSE Exemption for Years of Experience and Turnover व्हीं/समान के लिए अनुभव के वर्षों और टर्नओवर से छूट प्रदान की गई (Startup Exemption for Years of Experience) No	GeMARPTS में खोजी गई स्ट्रिंग्स / Searched Strings used in GeMARPTS	Servicing of air dryer system					
• Centriligal/screw Compressor with Dryer (NALCO) • Cen	GeMARPTS में खोजा गया परिणाम / Searched Result generated in GeMARPTS	Osmosis based Water Treatment System above 50 LPH Capacity (V2), Hand Dryer (V3), Particle Size Analyser, Air Decontamination System (Fumigation Cum Air Purification System), personal safety kit reflective luminous garments, Ai Sampler, Portable Electric Indoor Air Purifier, Air Decontamination system for hospitals, ATM (Air Traffic					
3 Year (s) service अभ्यस्परमई के लिए अनुभव के वर्षों और टर्नओवर से छूट प्रदान की । No स्वार्ट अप के लिए अनुभव के वर्षों और टर्नओवर से छूट प्रदान की गई (s/Startup Exemption for Years of Experience)	अधिसूचना के लिए चयनित प्रासंगिक श्रेणियाँ / Relevant Categories selected for notification	Centrifugal/Screw Compressor with Dryer (NALCO)					
हि है/MSE Exemption for Years of Experience No and Turnover टार्टअप के लिए अनुभव के वर्षों और टर्नओवर से छूट प्रदान की गई S/Startup Exemption for Years of Experience	उन्हीं/समान सेवा के लिए अपेक्षित विगत अनुभव के वर्ष/Years of Past Experience Required for same/similar service						
/Startup Exemption for Years of Experience No	एमएसएमई के लिए अनुभव के वर्षों और टर्नओवर से छूट प्रदान की गई है/MSE Exemption for Years of Experience and Turnover	No					
	स्टार्टअप के लिए अनुभव के वर्षों और टर्नओवर से छूट प्रदान की गई है /Startup Exemption for Years of Experience and Turnover						

बिड विवरण/Bid Details					
विक्रेता से मांगे गए दस्तावेज़/Document required from seller	Experience Criteria, Past Performance, Certificate (Requested ATC), OEM Authorization Certificate, Compliance of BoQ specification and supporting document *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by buyer				
क्या आप निविदाकारों द्वारा अपलोड किए गए दस्तावेज़ों को निविदा में भाग लेने वाले सभी निविदाकारों को दिखाना चाहते हैं? संदर्भ मेन् है/Do you want to show documents uploaded by bidders to all bidders participated in bid?	Yes (Documents submitted as part of a clarification or representation during the tender/bid process will also be displayed to other participated bidders after log in)				
बिड लगाने की समय सीमा स्वतः नहीं बढ़ाने के लिए आवश्यक बिड की संख्या। / Minimum number of bids required to disable automatic bid extension	1				
दिनों की संख्या, जिनके लिए बिड लगाने की समय-सीमा बढ़ाई जाएगी। / Number of days for which Bid would be auto-extended	3				
ऑटो एक्सटेंशन अधिकतम कितनी बार किया जाना है। / Number of Auto Extension count	1				
विगत प्रदर्शन /Past Performance	50 %				
बिड से रिवर्स नीलामी सक्रिय किया/Bid to RA enabled	Yes				
रिवर्स नीलामी योग्यता नियम/RA Qualification Rule	H1-Highest Priced Bid Elimination				
बिड का प्रकार/Type of Bid	Two Packet Bid				
तकनीकी मूल्यांकन के दौरान तकनीकी स्पष्टीकरण हेतु अनुमत समय /Time allowed for Technical Clarifications during technical evaluation	2 Days				
निरीक्षण आवश्यक (सूचीबद्ध निरीक्षण प्राधिकरण /जेम के साथ पूर्व पंजीकृत एजेंसियों द्वारा)/Inspection Required (By Empanelled Inspection Authority / Agencies pre-registered with GeM)	No				
मूल्यांकन पद्धति/Evaluation Method	Total value wise evaluation				
मध्यस्थता खंड/Arbitration Clause	No				
सुलह खंड/Mediation Clause	No				
ईएमडी विवरण/EMD Detail					

आवश्यकता/Required	No				
ब्रोली विभाजन लागू नहीं किया गया/ Bid splitting not applied. रमआईआई खरीद वरीयता/MII Purchase Preference					
एमआईआई खरीद वरीयता/MII Purchase Preference	No				
एमएसई खरीद वरीयता/MSE Purchase Preference					
एमएसई खरीद वरीयता/MSE Purchase Preference	Yes				

- 1. Experience Criteria: In respect of the filter applied for experience criteria, the Bidder or its OEM of the product offe in the bid {themselves or through reseller(s)} should have regularly, manufactured and supplied same or similar Category Products to any Central / State Govt Organization / PSU for number of Financial years as indicated above ir bid document before the bid opening date. Copies of relevant contracts and delivery acceptance certificates like CR/ to be submitted along with bid in support of having supplied some quantity during each of the Financial year. In case bunch bids, the category of primary product having highest value should meet this criterion.
- 2. Purchase preference will be given to MSEs having valid Udyam Registration and whose credentials are validated online through Udyam Registration portal as defined in Public Procurement Policy for Micro and Small Enterprises (M Order, 2012 dated 23.03.2012 issued by Ministry of Micro, Small and Medium Enterprises and its subsequent Orders/Notifications issued by concerned Ministry. If the bidder wants to avail themselves of the Purchase preference the bidder must be the manufacturer / OEM of the offered product on GeM. Traders are excluded from the purview of Public Procurement Policy for Micro and Small Enterprises and hence resellers offering products manufactured by so other OEM are not eligible for any purchase preference. In respect of bid for Services, the bidder must be the Service provider of the offered Service. Relevant documentary evidence in this regard shall be uploaded along with the bid in respect of the offered product or service and Buyer will decide eligibility for purchase preference based on documental evidence submitted, while evaluating the bid. If L-1 is not an MSE and MSE Seller (s) has / have quoted price within L 15% (Selected by Buyer) of margin of purchase preference /price band defined in relevant policy, such MSE Seller she given opportunity to match L-1 price and contract will be awarded for 25% (selected by Buyer) percentage of total quantity. The buyers are advised to refer the OM No. F.1/4/2021-PPD dated 18.05.2023
- OM No.1 4 2021 PPD dated 18.05.2023 for compliance of Concurrent application of Public Procurement Policy for N and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017. Benefits of MS will be allowed only if seller is validated on-line in GeM profile as well as validated and approved by Buyer after evaluation of documents submitted.
- 3. Past Performance: The Bidder or its OEM {themselves or through re-seller(s)} should have supplied same or similicategory Products for 50% of bid quantity, in at least one of the last three Financial years before the bid opening dainany Central / State Govt Organization / PSU. Copies of relevant contracts (proving supply of cumulative order quantitiany one financial year) to be submitted along with bid in support of quantity supplied in the relevant Financial year. case of bunch bids, the category related to primary product having highest bid value should meet this criterion.
- 4. Reverse Auction would be conducted amongst all the technically qualified bidders except the Highest quoting bidder the technically qualified Highest Quoting bidder will not be allowed to participate in RA. However, H-1 will also be allowed to participate in RA in following cases:
 - i. If number of technically qualified bidders are only 2 or 3.
 - ii. If Buyer has chosen to split the bid amongst N sellers, and H1 bid is coming within N.
 - iii. In case Primary product of only one OEM is left in contention for participation in RA on elimination of H-1.
 - iv. If L-1 is non-MSE and H-1 is eligible MSE and H-1 price is coming within price band of 15% of Non-MSE L-1
 - v. If L-1 is non-MII and H-1 is eligible MII and H-1 price is coming within price band of 20% of Non-MII L-1

Servicing Of Air Dryer System (1 Lot)

तकनीकी विशिष्टियाँ /Technical Specifications

क्रेता विशिष्टि दस्तावेज़ /Buyer Specification Document	<u>Download</u>
--	-----------------

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No	परेषिती ⁄रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Mrigendra Phukan	790114,Kameng Hydro Power Station Kimi, West Kameng	1	60

क्रेता द्वारा जोड़ी गई बिड की विशेष शर्ते/Buyer Added Bid Specific Terms and Conditions

1. Generic

OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 25 percent of bid quantity at the time of placement of contract. The purchaser also reserves the right to increase ordered quantity up to 25% of the contracted quantity during the currency of the contract at the contracted rates. The delivery period of quantity shall commence from the last date of original delivery order and in case where option clause is exercised during the extended delivery period the additional time shall commence from the last date of extended delivery period. The additional delivery time shall be (Increased quantity \div Original quantity) \times Original delivery period (in days), subject to minimum of 30 days. If the original delivery period is less than 30 days, the additional time equals the original delivery period. The Purchaser may extend this calculated delivery duration up to the original delivery period while exercising the option clause. Bidders mus comply with these terms.

2. Buyer Added Bid Specific ATC

Buyer Added text based ATC clauses

_

SI. No.	Description of material	иом	Qnty.	Rate (R s.)	Total (Rs.)	
Supply:	Supply:					
Α	Spares for Chicago Pneumatic compressors					
1	Vessel (Part No. 90975131 75)	Nos.	1			
2	Service Kit for 4000hrs CP A 1020 (Part No. 90969406 48)	Nos.	1			

3	Rotair Advance 5 litres (Par t No. 1630144505)	Nos.	1		
В	Spares for GEM air dryer (Model No:2KD010G)				
1	VALVE AUTO DRAIN ½" B SP GZ HD (Code: 600178)	Nos.	1		
2	HEAT EXCHANGER UNIT AL UMINIUM 100CFM (Code: 6 00107)	Lot	1		
3	DRIER FILTER 1/4" EK032S/ DML 032 (Code: 600127)	Nos.	1		
4	GEM TEMPERATURE CONT ROLLER (Code: 600479)	Nos.	1		
5	VALVE SOLEPCID¼" EVU2 (W) COIL (Code: 600145)	Nos.	1		
6	MOTOR FAN -230MM,WITH IMPELLER (Code: 600066)	Nos.	1		
7	COMPRESSOR GPY16 (Cod e: 600197)	Nos.	1		
8	STRAINER Y-TYPE 1/2" (Cod e: 600202)	Nos.	1		
9	GAUGE PRESSURE BOTTO M 0-500PSI (Code: 600133)	Nos.	1		
С	Spares for GEM air dryer (Model No:HLN 007C)				
1	CATRIDGE PRE FILTER 50/7 5/100CFM (Code: 600216)	Nos.	1		
2	CATRIDGE AFTER FILTER 5 0/75/100CFM (Code: 60022 2)	Nos.	1		
3	CATRIDGE OIL REMOVING FILTER 50/75/100CFM (Cod e: 600228)	Nos.	1		

4	SEAL KIT 3/8" EXHAUST VA LVE (Code: 600245)	Nos.	1	
5	SEAL KIT CHECK VALVE-3/4 "NRV (Code: 600248)	Nos.	1	
6	SEALKIT MFV-1/2" (Code: 6 00254)	Nos.	1	
7	VALVE SOLENOID-C-609 N C (Code:600493)	Nos.	1	
8	VALVE SOLENOID C-608 N O (Code: 600494)	Nos.	2	
9	MOLECULER SIEVES 20 X 1 35 (Code: 60001102)	Kgs	25	
		Service:		
1	Service charge for Chicago Phenumatic compressor	Lot	1	
2	Service charge for GEM air dryer model 2KD008G	Lot	1	
3	Service charge for GEM air dryer model HLN007C	Lot	1	

N.B. - Bidder has to submit individual price with GST against above field ng with bid financial documents.

Other Terms & Conditions

- 1. Successful bidder has to submit a detailed Price schedule indicating GST separately against each ite m.
- 2. Offered material specifications shall be as per BOQ & Specifications of tender. No other make/brand shall be accepted.

- 3. Bidder has to submit details of offered material in technical bid failing which bid shall be rejected.
- 4. The expenditures of fare, conveyance, food & accommodation of the service engineer is entirely in t he scope of the contractor. However, local accommodation at site will be provided based on availability on chargeable basis. The food expenditure also in the scope of the contractor.
- 5. All future correspondences shall be to the following email address. (a)emgkahep@rediffmail.com
 - b) cnpkahps@rediffmail.com

3. Buyer Added Bid Specific ATC

Buyer uploaded ATC document Click here to view the file.

अस्वीकरण/Disclaimer

The additional terms and conditions have been incorporated by the Buyer after approval of the Competent Authority Buyer Organization, whereby Buyer organization is solely responsible for the impact of these clauses on the bidding process, its outcome, and consequences thereof including any eccentricity / restriction arising in the bidding process due to these ATCs and due to modification of technical specifications and / or terms and conditions governing the bi any clause(s) is / are incorporated by the Buyer regarding following, the bid and resultant contracts shall be treated null and void and such bids may be cancelled by GeM at any stage of bidding process without any notice:-

- 1. Definition of Class I and Class II suppliers in the bid not in line with the extant Order / Office Memorandum issiby DPIIT in this regard.
- 2. Seeking EMD submission from bidder(s), including via Additional Terms & Conditions, in contravention to exemption provided to such sellers under GeM GTC.
- 3. Publishing Custom / BOQ bids for items for which regular GeM categories are available without any Category item bunched with it.
- 4. Creating BoQ bid for single item.
- 5. Mentioning specific Brand or Make or Model or Manufacturer or Dealer name.
- 6. Mandating submission of documents in physical form as a pre-requisite to gualify bidders.
- 7. Floating / creation of work contracts as Custom Bids in Services.
- 8. Seeking sample with bid or approval of samples during bid evaluation process. (However, in bids for attachec categories, trials are allowed as per approved procurement policy of the buyer nodal Ministries)
- 9. Mandating foreign / international certifications even in case of existence of Indian Standards without specifyir equivalent Indian Certification / standards.
- 10. Seeking experience from specific organization / department / institute only or from foreign / export experience
- 11. Creating bid for items from irrelevant categories.
- 12. Incorporating any clause against the MSME policy and Preference to Make in India Policy.
- 13. Reference of conditions published on any external site or reference to external documents/clauses.
- 14. Asking for any Tender fee / Bid Participation fee / Auction fee in case of Bids / Forward Auction, as the case m be.
- 15. Buyer added ATC Clauses which are in contravention of clauses defined by buyer in system generated bid template as indicated above in the Bid Details section, EMD Detail, ePBG Detail and MII and MSE Purchase Preference sections of the bid, unless otherwise allowed by GeM GTC.
- 16. In a category based bid, adding additional items, through buyer added additional scope of work/ additional te and conditions/or any other document. If buyer needs more items along with the main item, the same must b added through bunching category based items or by bunching custom catalogs or bunching a BoQ with the m category based item, the same must not be done through ATC or Scope of Work.

Further, if any seller has any objection/grievance against these additional clauses or otherwise on any aspect of this they can raise their representation against the same by using the Representation window provided in the bid details

field in Seller dashboard after logging in as a seller within 4 days of bid publication on GeM. Buyer is duty bound to reto all such representations and would not be allowed to open bids if he fails to reply to such representations.

All GeM Sellers / Service Providers are mandated to ensure compliance with all the applicable laws / ac rules including but not limited to all Labour Laws such as The Minimum Wages Act, 1948, The Payment Wages Act, 1936, The Payment of Bonus Act, 1965, The Equal Remuneration Act, 1976, The Payment Gratuity Act, 1972 etc. Any non-compliance will be treated as breach of contract and Buyer may take suitable actions as per GeM Contract.

यह बिंड सामान्य शर्तों के अंतर्गत भी शासित है /This Bid is also governed by the General Terms and Conditions

जेम की सामान्य शर्तों के खंड 26 के संदर्भ में भारत के साथ भूमि सीमा साझा करने वाले देश के बिडर से खरीद पर प्रतिबंध के संबंध में भार साथ भूमि सीमा साझा करने वाले देश का कोई भी बिडर इस निविदा में बिड देने के लिए तभी पात्र होगा जब वह बिड देने वाला सक्षम प्राधिका पास पंजीकृत हो।बिड में भाग लेते समय बिडर को इसका अनुपालन करना होगा और कोई भी गलत घोषणा किए जाने व इसका अनुपालन न पर अनुबंध को तत्काल समाप्त करने और कानून के अनुसार आगे की कानूनी कार्रवाई का आधार होगा।/In terms of GeM GTC clause 26 regarding Restr on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-complia this would be a ground for immediate termination of the contract and further legal action in accordance with the laws.

---धन्यवाद/Thank You---