

Bid Document/ बिड दस्तावेज़

Bid Details/बिड विवरण	
Bid End Date/Time/बिड बंद होने की तारीख/समय	28-06-2024 12:00:00
Bid Opening Date/Time/बिड खुलने की तारीख/समय	28-06-2024 12:30:00
Bid Offer Validity (From End Date)/बिड पेशकश वैधता (बंद होने की तारीख से)	180 (Days)
Ministry/State Name/मंत्रालय/राज्य का नाम	Ministry Of Power
Department Name/विभाग का नाम	North Eastern Electric Power Corporation Limited
Organisation Name/संगठन का नाम	North Eastern Electric Power Corporation Limited
Office Name/कार्यालय का नाम	Kameng Hydro Power Station
Total Quantity/कुल मात्रा	78
Item Category/मद केटेगरी	Design, Engineering, supply and installation of submersible pump-motor set as per site requirement , MS Pipe Flange Socket Weld type, raised face (RF) , schedule 40, ASME 150 class, 100 NB size , MS Pipe Flange Socket Weld type, raised face (RF) , schedule 40, ASME 150 class, size 125 NB , MS Pipe Flange Socket Weld type, raised face (RF) , schedule 40, ASME 150 class, Size 150 NB , MS Pipe Flange Socket Weld type, raised face (RF) , schedule 40, ASME 150 class, Size 200 NB , MS Pipe Elbow, Long radius, Schedule 40, ASME 150 class, Size 100 NB , MS Pipe Elbow, Long radius, Schedule 40, ASME 150 class, Size 125 NB , MS Pipe Elbow, Long radius, Schedule 40, ASME 150 class, Size 150 NB , MS Pipe Elbow, Long radius, Schedule 40, ASME 150 class, Size 200 NB
Years of Past Experience Required for same/similar service/उन्हीं/समान सेवाओं के लिए अपेक्षित विगत अनुभव के वर्ष	3 Year (s)
MSE Exemption for Years of Experience and Turnover/ अनुभव के वर्षों से एमएसई छूट	No
Startup Exemption for Years of Experience and Turnover/ अनुभव के वर्षों से स्टार्टअप छूट	No
Document required from seller/विक्रेता से मांगे गए दस्तावेज़	Experience Criteria,Past Performance,Certificate (Requested in ATC),OEM Authorization Certificate,Compliance of BoQ specification and supporting document *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer

Bid Details/बिड विवरण	
Past Performance/विगत प्रदर्शन	80 %
Bid to RA enabled/बिड से रिवर्स नीलामी सक्रिय किया	Yes
RA Qualification Rule	50% Lowest Priced Technically Qualified Bidders
Type of Bid/बिड का प्रकार	Two Packet Bid
Primary product category	Design, Engineering, supply and installation of submersible pump-motor set as per site requirement
Time allowed for Technical Clarifications during technical evaluation/तकनीकी मूल्यांकन के दौरान तकनीकी स्पष्टीकरण हेतु अनुमत समय	2 Days
Inspection Required (By Empanelled Inspection Authority / Agencies pre-registered with GeM)	No
Evaluation Method/मूल्यांकन पद्धति	Total value wise evaluation

EMD Detail/ईएमडी विवरण

Required/आवश्यकता	No
-------------------	----

ePBG Detail/ईपीबीजी विवरण

Required/आवश्यकता	No
-------------------	----

Splitting/विभाजन

Bid splitting not applied/बोली विभाजन लागू नहीं किया गया.

MII Purchase Preference/एमआईआई खरीद वरीयता

MII Purchase Preference/एमआईआई खरीद वरीयता	Yes
--	-----

MSE Purchase Preference/एमएसई खरीद वरीयता

MSE Purchase Preference/एमएसई खरीद वरीयता	Yes
---	-----

1. Experience Criteria: In respect of the filter applied for experience criteria, the Bidder or its OEM {themselves or through reseller(s)} should have regularly, manufactured and supplied same or similar Category Products to any Central / State Govt Organization / PSU for number of Financial years as indicated above in the bid document before the bid opening date. Copies of relevant contracts to be submitted along with bid in support of having

supplied some quantity during each of the Financial year. In case of bunch bids, the category of primary product having highest value should meet this criterion.

2. Preference to Make In India products (For bids < 200 Crore): Preference shall be given to Class 1 local supplier as defined in public procurement (Preference to Make in India), Order 2017 as amended from time to time and its subsequent Orders/Notifications issued by concerned Nodal Ministry for specific Goods/Products. The minimum local content to qualify as a Class 1 local supplier is denoted in the bid document. If the bidder wants to avail the Purchase preference, the bidder must upload a certificate from the OEM regarding the percentage of the local content and the details of locations at which the local value addition is made along with their bid, failing which no purchase preference shall be granted. In case the bid value is more than Rs 10 Crore, the declaration relating to percentage of local content shall be certified by the statutory auditor or cost auditor, if the OEM is a company and by a practicing cost accountant or a chartered accountant for OEMs other than companies as per the Public Procurement (preference to Make-in -India) order 2017 dated 04.06.2020. Only Class-I and Class-II Local suppliers as per MII order dated 4.6.2020 will be eligible to bid. Non - Local suppliers as per MII order dated 04.06.2020 are not eligible to participate. However, eligible micro and small enterprises will be allowed to participate. The buyers are advised to refer the OM No.F.1/4/2021-PPD dated 18.05.2023.

[OM No.1 4 2021 PPD dated 18.05.2023](#) for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017.

3. Purchase preference will be given to MSEs having valid Udyam Registration and whose credentials are validated online through Udyam Registration portal as defined in Public Procurement Policy for Micro and Small Enterprises (MSEs) Order, 2012 dated 23.03.2012 issued by Ministry of Micro, Small and Medium Enterprises and its subsequent Orders/Notifications issued by concerned Ministry. If the bidder wants to avail themselves of the Purchase preference, the bidder must be the manufacturer / OEM of the offered product on GeM. Traders are excluded from the purview of Public Procurement Policy for Micro and Small Enterprises and hence resellers offering products manufactured by some other OEM are not eligible for any purchase preference. In respect of bid for Services, the bidder must be the Service provider of the offered Service. Relevant documentary evidence in this regard shall be uploaded along with the bid in respect of the offered product or service and Buyer will decide eligibility for purchase preference based on documentary evidence submitted, while evaluating the bid. If L-1 is not an MSE and MSE Seller (s) has / have quoted price within L-1+ 15% (Selected by Buyer) of margin of purchase preference /price band defined in relevant policy, such MSE Seller shall be given opportunity to match L-1 price and contract will be awarded for 25% (selected by Buyer) percentage of total quantity. The buyers are advised to refer the OM No. F.1/4/2021-PPD dated 18.05.2023 [OM No.1 4 2021 PPD dated 18.05.2023](#) for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017. Benefits of MSE will be allowed only if seller is validated on-line in GeM profile as well as validated and approved by Buyer after evaluation of documents submitted.

4. Past Performance: The Bidder or its OEM {themselves or through re-seller(s)} should have supplied same or similar Category Products for 80% of bid quantity, in at least one of the last three Financial years before the bid opening date to any Central / State Govt Organization / PSU. Copies of relevant contracts (proving supply of cumulative order quantity in any one financial year) to be submitted along with bid in support of quantity supplied in the relevant Financial year. In case of bunch bids, the category related to primary product having highest bid value should meet this criterion.

5. Reverse Auction would be conducted amongst first 50% of the technically qualified bidders arranged in the order of prices from lowest to highest. Number of sellers eligible for participating in RA would be rounded off to next higher integer value if number of technically qualified bidders is odd (e.g. if 7 bids are technically qualified, then RA will be conducted amongst L-1 to L-4). In case number of technically qualified bidders are 2 or 3, RA will be between all without any elimination. If Buyer has chosen to split the bid amongst N sellers, then minimum N sellers would be taken to RA round. In case Primary products of only one OEM are left in contention for participation in RA based on lowest 50% bidders qualifying for RA, the number of sellers qualifying for RA would be increased to get at least products of one more OEM (directly participated or through its reseller) if available. Further, if bid(s) of any seller(s) eligible for MSE preference is / are coming within price band of 15% of Non MSE L-1 or if bid of any seller(s) eligible for Make in India preference is / are coming within price band of 20% of non MII L-1, then such MSE / Make in India seller shall also be allowed to participate in the RA process.

Design, Engineering, Supply And Installation Of Submersible Pump-motor Set As Per Site Requirement (8 set)

(Minimum 60% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Buyer Specification Document/क्रेता विशिष्टि दस्तावेज़	Download
---	--------------------------

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Jayanta Gayan	790114,Kameng Hydro Power Station Kimi, West Kameng	8	90

MS Pipe Flange Socket Weld Type, Raised Face (RF) , Schedule 40, ASME 150 Class, 100 NB Size (30 pieces)

(Minimum 60% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Buyer Specification Document/क्रेता विशिष्टि दस्तावेज़	Download
---	--------------------------

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Jayanta Gayan	790114,Kameng Hydro Power Station Kimi, West Kameng	30	90

MS Pipe Flange Socket Weld Type, Raised Face (RF) , Schedule 40, ASME 150 Class, Size 125 NB (6 pieces)

(Minimum 60% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Buyer Specification Document/क्रेता विशिष्टि दस्तावेज़	Download
---	--------------------------

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Jayanta Gayan	790114,Kameng Hydro Power Station Kimi, West Kameng	6	90

MS Pipe Flange Socket Weld Type, Raised Face (RF) , Schedule 40, ASME 150 Class, Size 150 NB (10 pieces)

(Minimum 60% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Buyer Specification Document/क्रेता विशिष्टि दस्तावेज़	Download
---	--------------------------

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Jayanta Gayan	790114,Kameng Hydro Power Station Kimi, West Kameng	10	90

MS Pipe Flange Socket Weld Type, Raised Face (RF) , Schedule 40, ASME 150 Class, Size 200 NB (6 pieces)

(Minimum 60% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Buyer Specification Document/क्रेता विशिष्टि दस्तावेज़	Download
---	--------------------------

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Jayanta Gayan	790114,Kameng Hydro Power Station Kimi, West Kameng	6	90

MS Pipe Elbow, Long Radius, Schedule 40, ASME 150 Class, Size 100 NB (8 pieces)

(Minimum 60% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Buyer Specification Document/क्रेता विशिष्टि दस्तावेज़	Download
---	--------------------------

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Jayanta Gayan	790114,Kameng Hydro Power Station Kimi, West Kameng	8	90

MS Pipe Elbow, Long Radius, Schedule 40, ASME 150 Class, Size 125 NB (4 pieces)

(Minimum 60% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Buyer Specification Document/क्रेता विशिष्टि दस्तावेज़	Download
---	--------------------------

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Jayanta Gayan	790114,Kameng Hydro Power Station Kimi, West Kameng	4	90

MS Pipe Elbow, Long Radius, Schedule 40, ASME 150 Class, Size 150 NB (2 pieces)

(Minimum 60% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Buyer Specification Document/क्रेता विशिष्टि दस्तावेज़	Download
--	--------------------------

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Jayanta Gayan	790114,Kameng Hydro Power Station Kimi, West Kameng	2	90

MS Pipe Elbow, Long Radius, Schedule 40, ASME 150 Class, Size 200 NB (4 pieces)

(Minimum 60% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Buyer Specification Document/क्रेता विशिष्टि दस्तावेज़	Download
--	--------------------------

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Jayanta Gayan	790114,Kameng Hydro Power Station Kimi, West Kameng	4	90

Buyer Added Bid Specific Terms and Conditions/क्रेता द्वारा जोड़ी गई बिड की विशेष शर्तें**1. Generic**

OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 25 percent of bid quantity at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity by up to 25% of the contracted quantity during the currency of the contract at the contracted rates. Bidders are bound to accept the orders accordingly.

2. Buyer Added Bid Specific ATC

Buyer Added text based ATC clauses

Technical Specification for Submersible Pump-motor Set

Submersible pump close coupled and hermetically sealed. Duty point discharge 100 cubic meter per hour at 40 m head. Further an approx. discharge of 70 cubic meter per hour at 50 m head shall be provided by the pump. Pump installation shall be horizontal in a sump of 2100 mm X 900 mm X 2000 mm (LXWXD). The discharge nozzle of the pump shall be in **radial** direction from the pump. No auto coupling/ guide rod/guide wire arrangement is needed. Pump discharge nozzle shall be directly connected to 100 NB pipe and then to 200 NB MS Pipe. A foundation rail/frame shall be provided with the pump for convenient horizontal installation.

The pump shall be portable and compact, Cavitation resistant and flood proof, Silent and smooth operation without needing much routine maintenance. The pump operation is continuous duty type. Suitable cross section size submersible copper Power cable Double PVC Sheathed of length 400 m shall be supplied along with suitable size Control cable of 400 m long.

Discharge Nominal pressure PN10, Double acting mechanical shaft seal, Shaft seal type MG, Material SIC/SIC, NBR. Wearing ring shall be casing wear ring, Anti friction bearing with grease lubrication.

Hydraulic performance test standard ISO 9906 Class 3B, Test pressure is 10 bar g, Test time 10 min.

Materials certificate for Pump casing IS 210 GR. FG260, Motor housing IS 210 GR. FG260, Motor housing cover IS 210 GR. FG260, impeller IS 210 GR. FG260 or CF8M SS316, bearing housing IS 210 GR. FG260, discharge cover IS 210 GR. FG260, shaft Chrome Steel 1.4021+QT800 shall be provided. Mechanical seal Motor Side/ Secondary seal SIC/SIC (MG1). Mechanical seal Pump side/ primary seal SIC/SIC (MG1). Horizontal portable stand shall be of MS channel. Lifting chain shall be of Alloy steel (Corrosion resistant) Oval Ring @ 3m and D Shackle at one end. Fasteners shall be of SS and suction strainer shall be of SS 202.

Submerged squirrel cage induction motor as per IEC 60034, IP68 protection, Air filled and water cooled

d,415V, Motor cooling is by water submergence along with **in built cooling water circulation from the pumped water itself for better cooling performance and low dead water operation**. Enclosed impeller shall be suitable for clear to mild turbid water, however, clearance for solid size of 20mm shall be provided. A suitable size strainer shall be used for screening the debris from entering into the pump.

Cable gland shall be of multi stage type to prevent water seepage even during failure of outer sheath of cable. Motor insulation class shall be "F" and shall be able to withstand at least 20 starts per hour. For protection of the motor, temperature sensor/ detector shall be provided with each phase of winding and all bearings. Stator body water leakage detector and Moisture sensor/detector shall be provided to detect lower mechanical seal leakage. Any other standard protection also may be provided. **A pump monitoring unit (PMU) suitable for aforementioned protection shall also be provided with the pump-motor set. The PMU shall be fitted in the control panel by the deptt.**

BOQ & Specifications of Pump Motor Sets

Sl no	Item Description	Unit	Qty
1	Submersible pump-motor set close coupled and hermetically sealed with end suction enclosed impeller and volute casing. Duty point discharge 100 cubic meter per hour at 40 m head. Further an approx. discharge of 70 cubic meter per hour at 50 m head shall be provided by the pump. Pump installation shall be horizontal in a sump of 2100 mm X 900 mm X 2000 mm (LXWXD). The discharge nozzle of the pump shall be in radial direction from the pump. (Not axial). No auto coupling/ guide rod/guide wire arrangement is needed. Pump discharge nozzle shall be directly connected to 100 NB pipe and then to 200 NB MS Header Pipe. Submersible Power Cable shall be (1RX4CX16 sq. mm+1 RX3CX16 sq. mm) of length 150 m and control cable 1RX10CX1.5 sq. mm, 150 m length supplied with the pump-motor. Other technical details shall be as per technical specification attached.	Set	8
2	MS Pipe Flange Socket Weld type, raised face (RF), Wall thickness schedule 40, ASME 150 class of following sizes		
2.1	100 NB (compatible with 100 NB Gate and Check Vales)	Nos	30
2.2	125 NB (compatible with 125 NB Gate and Check Vales)	Nos	6
2.3	150 NB (compatible with 150 NB Gate and Check Vales)	Nos	10
2.4	200 NB (compatible with 200 NB Gate and Check Vales)	Nos	6
3	MS Pipe Elbow, Long radius, Wall thickness schedule 40, ASME 150 class of following size		
3.1	100NB	Nos	8
3.2	125 NB	Nos	4
3.3	150 NB	Nos	2
3.4	200 NB	Nos	4

Terms & Conditions

- 1. Scope of supply:** The scope of supply includes design, engineering, supply, packing & forwarding, freight & delivery of submersible pump-motor sets at Bichom Dam and Tenga Dam of Kameng Hydro Power Station, NEEPCO, West Kameng, Kimi, Arunachal Pradesh. Delivery of 6(six) Sets at Bichom Dam Complex, and 2(two) Sets at Tenga Dam Complex.

- 2. Supplier:** The bidder shall be manufacturer of the submersible pump-motor sets. The bidder shall have experience of design, engineering, supply of submersible pump-motor sets of rating/capacities higher than the tendered Submersible Pump-Motor Sets to any PSU Hydro Power Station of 500 MW and above. Further, the bidder has to ensure their supplied submersible pump Sets are deployed for dewatering of Dam Gallery in Hydro Power Station of 500 MW or more. Performance certificate shall be submitted for above credentials from buyer.

- 3. Payment terms:** 100% (hundred percent) with applicable GST after receipt of materials at site in full and good condition.

- 4. Delivery:** Delivery within 12 weeks from the date of LOI (GeM Order).

- 5. Warranty:** The supplier shall warrant that the material supplied by them will be new and in accordance with specifications and are free from defects in design, material and /or workmanship for a period of 18(eighteen) months from the date of installation or 24(twenty-four) months from the date of successful delivery at site, whichever is earlier.

- 6. Technical Data Sheet:** Bidder shall submit detailed TECHNICAL DATA SHEET in the technical bid.

- 7. Performance Curve:** Bidder shall submit performance curve of the offered submersible pump-motor set in the technical bids.

- 8. Manufacturing:** Manufacturing activities shall start only after technical clearance /approval by buyer.

- 9.** Manufacturer's inspection & testing reports shall be submitted along with despatch documents.
- 10.** Successful bidder shall submit Contract Performance Guarantee equivalent to 10% (ten percent) of the contract value from a Nationalised Bank in prescribed format. The CPG shall be valid till 90 days after expiry of warranty period.

- 11.** After receipt of order bidder has to submit Price Schedule, showing details of unit price and GST,

Freight & Insurance, Packing & Forwarding charges etc.

12. All queries shall be directed to following email id's

- a) emgkahep@rediffmail.com
- b) cnpkahps@rediffmail.com

-

-

3. Buyer Added Bid Specific ATC

Buyer uploaded ATC document [Click here to view the file.](#)

Disclaimer/अस्वीकरण

The additional terms and conditions have been incorporated by the Buyer after approval of the Competent Authority in Buyer Organization, whereby Buyer organization is solely responsible for the impact of these clauses on the bidding process, its outcome, and consequences thereof including any eccentricity / restriction arising in the bidding process due to these ATCs and due to modification of technical specifications and / or terms and conditions governing the bid. If any clause(s) is / are incorporated by the Buyer regarding following, the bid and resultant contracts shall be treated as null and void and such bids may be cancelled by GeM at any stage of bidding process without any notice:-

1. Definition of Class I and Class II suppliers in the bid not in line with the extant Order / Office Memorandum issued by DPIIT in this regard.
2. Seeking EMD submission from bidder(s), including via Additional Terms & Conditions, in contravention to exemption provided to such sellers under GeM GTC.
3. Publishing Custom / BOQ bids for items for which regular GeM categories are available without any Category item bunched with it.
4. Creating BoQ bid for single item.
5. Mentioning specific Brand or Make or Model or Manufacturer or Dealer name.
6. Mandating submission of documents in physical form as a pre-requisite to qualify bidders.
7. Floating / creation of work contracts as Custom Bids in Services.
8. Seeking sample with bid or approval of samples during bid evaluation process. (However, in bids for [attached categories](#), trials are allowed as per approved procurement policy of the buyer nodal Ministries)
9. Mandating foreign / international certifications even in case of existence of Indian Standards without specifying equivalent Indian Certification / standards.
10. Seeking experience from specific organization / department / institute only or from foreign / export experience.
11. Creating bid for items from irrelevant categories.
12. Incorporating any clause against the MSME policy and Preference to Make in India Policy.
13. Reference of conditions published on any external site or reference to external documents/clauses.
14. Asking for any Tender fee / Bid Participation fee / Auction fee in case of Bids / Forward Auction, as the case may be.

Further, if any seller has any objection/grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller within 4 days of bid publication on GeM. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

[This Bid is also governed by the General Terms and Conditions/ यह बिड सामान्य शर्तों के अंतर्गत भी शासित है](#)

In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws./जेम की सामान्य शर्तों के खंड 26 के संदर्भ में भारत के साथ भूमि सीमा साझा करने वाले देश के बिडर से खरीद पर प्रतिबंध के संबंध में भारत के साथ भूमि सीमा साझा करने वाले देश का कोई भी बिडर इस निविदा में बिड देने के लिए तभी पात्र होगा जब वह बिड देने वाला सक्षम प्राधिकारी के पास पंजीकृत हो। बिड में भाग लेते समय बिडर को इसका अनुपालन करना होगा और कोई भी गलत घोषणा किए जाने व इसका अनुपालन न करने पर अनुबंध को तत्काल समाप्त करने और कानून के अनुसार आगे की कानूनी कार्यवाई का आधार होगा।

---Thank You/धन्यवाद---