



Bid Number/बोली क्रमांक (बिड संख्या) GEM/2025/B/5830323 Dated/दिनांक : 17-01-2025

Bid Document/ बिड दस्तावेज़

Bid Details/बिंड विवरण		
Bid End Date/Time/बिड बंद होने की तारीख/समय	07-02-2025 20:00:00	
Bid Opening Date/Time/बिंड खुलने की तारीख/समय	07-02-2025 20:30:00	
Bid Offer Validity (From End Date)/बिड पेशकश वैधता (बंद होने की तारीख से)	60 (Days)	
Ministry/State Name/मंत्रालय/राज्य का नाम	Ministry Of Power	
Department Name/विभाग का नाम	North Eastern Electric Power Corporation Limited	
Organisation Name/संगठन का नाम	North Eastern Electric Power Corporation Limited	
Office Name/कार्यालय का नाम	Kameng Hydro Power Station	
क्रेता ईमेल/Buyer Email	indrajitdas@neepco.co.in	
Total Quantity/कुल मात्रा	80	
Item Category/मद केटेगरी	Plain insulator for Thyrestor with dia 28-46-28mm. Total length 50mm. As specified in bid. , Plain insulator for Thyrestor with dia 28-46-28mm. Total length 60mm. As specified , Plain insulator for Thyrestor with dia 28-46-28mm. Total length 80mm. As specified , Solid insulator for LA-VT with end dia 130mm. Peticoat dia 210mm. As specified , Conical insulator for LA-VT with dia 40-50mm. Total length 60mm. Both end 6mm dia internal threaded , Solid insulator for stator with end dia 109mm. Peticoat dia 163mm. Total insulator length 235mm. , Solid insulator for UAT LV with dia 75-55-75mm. Total insulator length 88mm. As specified , Solid insulator for UAT with dia 40mm. Total insulator length 40mm. Top & bottom with 8mm dia centre , Solid insulator for UAT/ET HV. Total insulator length 210mm. As specified	
GeMARPTS में खोजी गई स्ट्रिंग / Searched Strings used in GeMARPTS	Solid insulator for UAT/ET HV. Total insulator length 210mm. Top end solid length 20mm with single 14mm dia internal threaded centre hole of 45mm depth. Another two 8mm dia internel threaded holes of 25mm depth with CL-CL 46mm at top. Bottom end solid length 79mm with single 14mm dia internal threaded centre hole of 75mm depth. Centre part having peticoat. Insulation level minimum 27KV.	
GeMARPTS में खोजा गया परिणाम / Searched Result generated in GeMARPTS	Category not available on GeM for the text string uploaded by the buyer	
अधिसूचना के लिए चयनित प्रासंगिक श्रेणियाँ / Relevant Categories selected for notification	Epoxy Insulator- BHEL	

Bid Details/बिड विवरण			
Years of Past Experience Required for same/similar service/उन्हीं/समान सेवाओं के लिए अपेक्षित विगत अनुभव के वर्ष	3 Year (s)		
MSE Exemption for Years of Experience and Turnover/ अनुभव के वर्षों से एमएसई छूट	No		
Startup Exemption for Years of Experience and Turnover/ अनुभव के वर्षों से स्टार्टअप छूट	No		
Document required from seller/विक्रेता से मांगे गए दस्तावेज़	Experience Criteria, Past Performance, Compliance of BoQ specification and supporting document *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer		
Do you want to show documents uploaded by bidders to all bidders participated in bid?/	Yes		
Past Performance/विगत प्रदर्शन	50 %		
Bid to RA enabled/बिड से रिवर्स नीलामी सक्रिय किया	Yes		
RA Qualification Rule	50% Lowest Priced Technically Qualified Bidders		
Type of Bid/बिंड का प्रकार	Two Packet Bid		
Primary product category	Plain insulator for Thyrestor with dia 28-46-28mm. Total length 50mm. As specified in bid.		
Time allowed for Technical Clarifications during technical evaluation/तकनीकी मूल्यांकन के दौरान तकनीकी स्पष्टीकरण हेतु अनुमत समय	2 Days		
Inspection Required (By Empanelled Inspection Authority / Agencies pre- registered with GeM)	No		
Evaluation Method/मूल्यांकन पद्धति	Total value wise evaluation		
Arbitration Clause	No		
Mediation Clause	No		
EMD Detail/ईएमडी विवरण			
Required/आवश्यकता	No		
ePBG Detail/ईपीबीजी विवरण			
Required/आवश्यकता	No		

MII Purchase Preference/एमआईआई खरीद वरीयता

MII Purchase Preference/एमआईआई खरीद वरीयता	No
MSE Purchase Preference/एमएसई खरीद वरीयता	

MSE Purchase Preference/एमएसई खरीद वरीयता	Yes
---	-----

- 1. Experience Criteria: In respect of the filter applied for experience criteria, the Bidder or its OEM {themselves or through reseller(s)} should have regularly, manufactured and supplied same or similar Category Products to any Central / State Govt Organization / PSU for number of Financial years as indicated above in the bid document before the bid opening date. Copies of relevant contracts to be submitted along with bid in support of having supplied some quantity during each of the Financial year. In case of bunch bids, the category of primary product having highest value should meet this criterion.
- 2. Purchase preference will be given to MSEs having valid Udyam Registration and whose credentials are validated online through Udyam Registration portal as defined in Public Procurement Policy for Micro and Small Enterprises (MSEs) Order, 2012 dated 23.03.2012 issued by Ministry of Micro, Small and Medium Enterprises and its subsequent Orders/Notifications issued by concerned Ministry. If the bidder wants to avail themselves of the Purchase preference, the bidder must be the manufacturer / OEM of the offered product on GeM. Traders are excluded from the purview of Public Procurement Policy for Micro and Small Enterprises and hence resellers offering products manufactured by some other OEM are not eligible for any purchase preference. In respect of bid for Services, the bidder must be the Service provider of the offered Service. Relevant documentary evidence in this regard shall be uploaded along with the bid in respect of the offered product or service and Buyer will decide eligibility for purchase preference based on documentary evidence submitted, while evaluating the bid. If L-1 is not an MSE and MSE Seller (s) has / have quoted price within L-1+ 15% (Selected by Buyer) of margin of purchase preference /price band defined in relevant policy, such MSE Seller shall be given opportunity to match L-1 price and contract will be awarded for 25% (selected by Buyer) percentage of total quantity. The buyers are advised to refer the OM No. F.1/4/2021-PPD dated 18.05.2023 OM No.1 4 2021 PPD dated 18.05.2023 for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017. Benefits of MSE will be allowed only if seller is validated on-line in GeM profile as well as validated and approved by Buyer after evaluation of documents submitted.
- 3. Past Performance: The Bidder or its OEM {themselves or through re-seller(s)} should have supplied same or similar Category Products for 50% of bid quantity, in at least one of the last three Financial years before the bid opening date to any Central / State Govt Organization / PSU. Copies of relevant contracts (proving supply of cumulative order quantity in any one financial year) to be submitted along with bid in support of quantity supplied in the relevant Financial year. In case of bunch bids, the category related to primary product having highest bid value should meet this criterion.
- 4. Reverse Auction would be conducted amongst first 50% of the technically qualified bidders arranged in the order of prices from lowest to highest. Number of sellers eligible for participating in RA would be rounded off to next higher integer value if number of technically qualified bidders is odd (e.g. if 7 bids are technically qualified, then RA will be conducted amongst L-1 to L-4). In case number of technically qualified bidders are 2 or 3, RA will be between all without any elimination. If Buyer has chosen to split the bid amongst N sellers, then minimum N sellers would be taken to RA round. In case Primary products of only one OEM are left in contention for participation in RA based on lowest 50% bidders qualifying for RA, the number of sellers qualifying for RA would be increased to get at least products of one more OEM (directly participated or through its reseller) if available. Further, if bid(s) of any seller(s) eligible for MSE preference is / are coming within price band of 15% of Non MSE L-1 or if bid of any seller(s) eligible for Make in India preference is / are coming within price band of 20% of non MII L-1, then such MSE / Make in India seller shall also be allowed to participate in the RA process.

Plain Insulator For Thyrestor With Dia 28-46-28mm. Total Length 50mm. As Specified In Bid. (10 pieces)

Technical Specifications/तकनीकी विशिष्टियाँ

Buyer Specification Document/क्रेता विशिष्टि दस्तावेज़	<u>Download</u>
---	-----------------

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती / रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Jayanta Gayan	790114,Kameng Hydro Power Station Kimi, West Kameng	10	45

Plain Insulator For Thyrestor With Dia 28-46-28mm. Total Length 60mm. As Specified (10 pieces)

Technical Specifications/तकनीकी विशिष्टियाँ

Buyer Specification Document/क्रेता विशिष्टि दस्तावेज़	<u>Download</u>	
---	-----------------	--

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Jayanta Gayan	790114,Kameng Hydro Power Station Kimi, West Kameng	10	45

Plain Insulator For Thyrestor With Dia 28-46-28mm. Total Length 80mm. As Specified (10 pieces)

Technical Specifications/तकनीकी विशिष्टियाँ

Buyer Specification Document/क्रेता विशिष्टि दस्तावेज़	<u>Download</u>	
---	-----------------	--

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती / रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Jayanta Gayan	790114,Kameng Hydro Power Station Kimi, West Kameng	10	45

Solid Insulator For LA-VT With End Dia 130mm. Peticoat Dia 210mm. As Specified (10 pieces)

Technical Specifications/तकनीकी विशिष्टियाँ

Buyer Specification Document/क्रेता विशिष्टि दस्तावेज़	Download
---	----------

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Jayanta Gayan	790114,Kameng Hydro Power Station Kimi, West Kameng	10	45

Conical Insulator For LA-VT With Dia 40-50mm. Total Length 60mm. Both End 6mm Dia Internal Threaded (10 pieces)

Technical Specifications/तकनीकी विशिष्टियाँ

Bocameng # (11 41)	Buyer Specification Document/क्रेता विशिष्टि दस्तावेज़	<u>Download</u>
--------------------	---	-----------------

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Jayanta Gayan	790114,Kameng Hydro Power Station Kimi, West Kameng	10	45

Solid Insulator For Stator With End Dia 109mm. Peticoat Dia 163mm. Total Insulator Length 235mm. (10 pieces)

Technical Specifications/तकनीकी विशिष्टियाँ

Buyer Specification Document/क्रेता विशिष्टि दस्तावेज़	<u>Download</u>
---	-----------------

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Jayanta Gayan	790114,Kameng Hydro Power Station Kimi, West Kameng	10	45

Solid Insulator For UAT LV With Dia 75-55-75mm. Total Insulator Length 88mm. As Specified ($5\ \text{pieces}$)

Technical Specifications/तकनीकी विशिष्टियाँ

Buyer Specification Document/क्रेता विशिष्टि दस्तावेज़	<u>Download</u>
---	-----------------

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती / रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Jayanta Gayan	790114,Kameng Hydro Power Station Kimi, West Kameng	5	45

Solid Insulator For UAT With Dia 40mm. Total Insulator Length 40mm. Top & Bottom With 8mm Dia Centre (5 pieces)

Technical Specifications/तकनीकी विशिष्टियाँ

Buyer Specification Document/क्रेता विशिष्टि दस्तावेज़	<u>Download</u>
---	-----------------

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Jayanta Gayan	790114,Kameng Hydro Power Station Kimi, West Kameng	5	45

Solid Insulator For UAT/ET HV. Total Insulator Length 210mm. As Specified (10 pieces)

Technical Specifications/तकनीकी विशिष्टियाँ

Buyer Specification Document/क्रेता विशिष्टि दस्तावेज़	Download
---	----------

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Jayanta Gayan	790114,Kameng Hydro Power Station Kimi, West Kameng	10	45

Buyer Added Bid Specific Terms and Conditions/क्रेता द्वारा जोड़ी गई बिड की विशेष शर्तें

1. Buyer Added Bid Specific ATC

Buyer Added text based ATC clauses

BOQ & Specifications

SI. N o.	Description of material		Qty
	Epoxy Resin Cast Solid Insulator (Colour: Red)		
1	Plain insulator for Thyristors with dia 28-46-28mm. Total leng th 50mm. Both end 6mm dia internal threaded centre hole of 13mm depth. Insulation level minimum 5KV.	Nos.	10
2	Plain insulator for Thyristors with dia 28-46-28mm. Total len gth 60mm. Both end 6mm dia internal threaded centre hole of 13mm depth. Insulation level minimum 5KV.	Nos.	10
3	Plain insulator for Thyristors with dia 28-46-28mm. Total len gth 80mm. Both end 6mm dia internal threaded centre hole of 13mm depth. Insulation level minimum 5KV.	Nos.	10
4	Solid insulator for LA-VT with end dia 130mm. Petticoat dia 2 10mm. Total insulator length 285mm. Top end solid length 2 2mm with single 17.5mm dia internal threaded centre hole o f 80mm depth. Bottom end solid length 22mm with double 1 4mm dia internal threaded holes with hole CL-CL 35mm and depth 66mm. Insulation level minimum 27KV.	Nos.	10
5	Conical insulator for LA-VT with dia 40-50mm. Total length 6 0mm. Both end 6mm dia internal threaded centre hole of 13 mm depth. Insulation level minimum 27KV.	Nos.	10
6	Solid insulator for stator with end dia 109mm. Petticoat dia 1 63mm. Total insulator length 235mm. Top end solid length 1 0mm with single 17mm dia internal threaded centre hole of 80mm depth. Bottom end solid length 10mm with double 14 mm dia internal threaded holes with hole CL-CL 35mm of 60 mm depth. Insulation level minimum 27KV.	Nos.	10

or length 88mm. Top end solid le m dia internal threaded centre h end solid length 25mm with sing		Solid insulator for UAT LV with dia 75-55-75mm. Total insulat or length 88mm. Top end solid length 25mm with single 14m m dia internal threaded centre hole of 30mm depth. Bottom end solid length 25mm with single 14mm dia internal thread ed centre hole of 30mm depth. Insulation level minimum 5K V.	Nos.	5
	8	Solid insulator for UAT with dia 40mm. Total insulator length 40mm. Top & bottom with 8mm dia centre internal threaded hole of 15mm depth. Insulation level minimum 5KV.		5
	9	Solid insulator for UAT/ET HV. Total insulator length 210mm. Top end solid length 20mm with single 14mm dia internal thr eaded centre hole of 45mm depth. Another two 8mm dia int ernal threaded holes of 25mm depth with CL-CL 46mm at top . Bottom end solid length 79mm with single 14mm dia intern al threaded centre hole of 75mm depth. Centre part having p etticoat. Insulation level minimum 27KV.	Nos.	10

Terms & Conditions

- 1.Successful bidder has to submit a detailed Price schedule indic ating GST separately against each item.
- 2.Offered material specifications shall be as per BOQ & Specificat ions of tender. No other make/brand shall be accepted.
- 3. Bidder has to submit details of offered material in technical bid failing which bid shall be rejected.
- 4. Warranty: For a period of 12 months from the date of receip t of material at site. If any defect arises during this period, the supplier has to replace the same at free of cost. An amount equivalent to 10% of basic price of material shall be deducted as security deposit. The security deposit shall be released without interest after expiry of warranty period.
- 5.Price Reasonability Certificate: The bidder shall certify indicatin g that the rates quoted are not higher than those charged to other Govt./ PSU's for similar supplies made in recent past. T he said certificate should accompany the bid in support of its price reasonability.
- All future correspondences shall be to the following email ad dress.
 (a)emgkahep@rediffmail.com

b) cnpkahps@rediffmail.com

Disclaimer/अस्वीकरण

The additional terms and conditions have been incorporated by the Buyer after approval of the Competent Authority in Buyer Organization, whereby Buyer organization is solely responsible for the impact of these clauses on the bidding process, its outcome, and consequences thereof including any eccentricity / restriction arising in the bidding process due to these ATCs and due to modification of technical specifications and / or terms and conditions governing the bid. If any clause(s) is / are incorporated by the Buyer regarding following, the bid and resultant contracts shall be treated as null and void and such bids may be cancelled by GeM at any stage of bidding process without any notice:-

- 1. Definition of Class I and Class II suppliers in the bid not in line with the extant Order / Office Memorandum issued by DPIIT in this regard.
- 2. Seeking EMD submission from bidder(s), including via Additional Terms & Conditions, in contravention to exemption provided to such sellers under GeM GTC.
- 3. Publishing Custom / BOQ bids for items for which regular GeM categories are available without any Category item bunched with it.
- 4. Creating BoQ bid for single item.
- 5. Mentioning specific Brand or Make or Model or Manufacturer or Dealer name.
- 6. Mandating submission of documents in physical form as a pre-requisite to qualify bidders.
- 7. Floating / creation of work contracts as Custom Bids in Services.
- 8. Seeking sample with bid or approval of samples during bid evaluation process. (However, in bids for <u>attached categories</u>, trials are allowed as per approved procurement policy of the buyer nodal Ministries)
- 9. Mandating foreign / international certifications even in case of existence of Indian Standards without specifying equivalent Indian Certification / standards.
- 10. Seeking experience from specific organization / department / institute only or from foreign / export experience.
- 11. Creating bid for items from irrelevant categories.
- 12. Incorporating any clause against the MSME policy and Preference to Make in India Policy.
- 13. Reference of conditions published on any external site or reference to external documents/clauses.
- 14. Asking for any Tender fee / Bid Participation fee / Auction fee in case of Bids / Forward Auction, as the case may be.

Further, if any seller has any objection/grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller within 4 days of bid publication on GeM. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

All GeM Sellers / Service Providers are mandated to ensure compliance with all the applicable laws / acts / rules including but not limited to all Labour Laws such as The Minimum Wages Act, 1948, The Payment of Wages Act, 1936, The Payment of Bonus Act, 1965, The Equal Remuneration Act, 1976, The Payment of Gratuity Act, 1972 etc. Any non-compliance will be treated as breach of contract and Buyer may take suitable actions as per GeM Contract.

This Bid is also governed by the General Terms and Conditions/ यह बिड सामान्य शर्तों के अंतर्गत भी शासित है

In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws./जेम की सामान्य शर्तों के खंड 26 के संदर्भ में भारत के साथ भूमि सीमा साझा करने वाले देश के बिडर से खरीद

पर प्रतिबंध के संबंध में भारत के साथ भूमि सीमा साझा करने वाले देश का कोई भी बिडर इस निविदा में बिड देने के लिए तभी पात्र होगा

जब वह बिड देने वाला सक्षम प्राधिकारी के पास पंजीकृत हो।बिड में भाग लेते समय बिडर को इसका अनुपालन करना होगा और कोई भी गलत घोषणा किए जाने व इसका अनुपालन न करने पर अनुबंध को तत्काल समाप्त करने और कानून के अनुसार आगे की कानूनी कार्रवाई का आधार होगा।

---Thank You/धन्यवाद---